GROUNDWATER INDEX

Page / of /

County Madison Twp. 85 Rge. 3W

Ų.

Sec.	Name of Appropriator	Type of Form	County File No.	Remarks
26	Magshall, William 4-	Hw4	28532	
	Laston Engene M.			
25 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5				
				·
		`		
			1	
			1	·
 		1		
		<u> </u>		

ile No	T O R STORY OF THE
UPLICATE	County
	STATE OF MONTANA Madison
	ADMINISTRATOR OF GROUNDWATER CODE DECEIVED
	UU pec 30 1963
Decl	aration of Vested Groundwater Rights
	(Under Chapter 237, Montana Session Laws, 1961) STATE ENGINEE?
William Marshall	and Eugene M. Larson
(Name of Ap	propriator) (Address) Alger (Town)
County of have appropriated ground	State of January 1, 1962, as follows:
	2. The beneficial use on which the claim is based drinking
	water and irrigating
Attached A	3. Date or approximate date of earliest beneficial use; and how con-
	tinuous the use has been Respective dates shown
	on Exhibits a and b attached to this declar ation.
	4. The amount of groundwater claimed (in miner's inches or gallons
	per minute)
	See exhibits A and B
	5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
<u>¼ Sec ≯ T ∑ R</u>	
dicate point of appropriat	TOO SENTENCE W. CHILL D. L. C. L. C.
nd place of use, if possi ach small square represents	ble. 10 6. The means of withdrawing such water from the ground and the
eres.	location of each well or other means of withdrawal
	See exhibits A and B.
	는 마시트 (Barting Control of Contro
The date of commencement drawal of groundwater	See exhibits A and B. nt and completion of the construction of the well, wells, or other works for with-
7. The date of commenceme drawal of groundwater	See exhibits A and B. nt and completion of the construction of the well, wells, or other works for with- See exhibits A and B
7. The date of commenceme drawal of groundwater	See exhibits A and B. nt and completion of the construction of the well, wells, or other works for with- See exhibits A and B
7. The date of commenceme drawal of groundwater	See exhibits A and B. Int and completion of the construction of the well, wells, or other works for with- See exhibits A and B Variable Lable, the type, size and depth of each well or the general specifications of any other
7. The date of commenceme drawal of groundwater	See exhibits A and B. Int and completion of the construction of the well, wells, or other works for with- See exhibits A and B Variable Lable, the type, size and depth of each well or the general specifications of any other of groundwater See exhibits A and B.
7. The date of commenceme drawal of groundwater	See exhibits A and B. Int and completion of the construction of the well, wells, or other works for with- See exhibits A and B Variable Lable, the type, size and depth of each well or the general specifications of any other
7. The date of commenceme drawal of groundwater	See exhibits A and B. Int and completion of the construction of the well, wells, or other works for with- See exhibits A and B Wariable Lable, the type, size and depth of each well or the general specifications of any other of groundwater. See exhibits A and B.
7. The date of commenceme drawal of groundwater	See exhibits A and B. Int and completion of the construction of the well, wells, or other works for with- See exhibits A and B Variable Lable, the type, size and depth of each well or the general specifications of any other of groundwater. See exhibits A and B.
7. The date of commenceme drawal of groundwater	See exhibits A and B. Int and completion of the construction of the well, wells, or other works for with- See exhibits A and B Wariable Lable, the type, size and depth of each well or the general specifications of any other of groundwater See exhibits A and B. groundwater withdrawn each year. See exhibits A and B.
7. The date of commenceme drawal of groundwater	See exhibits A and B. Int and completion of the construction of the well, wells, or other works for with- See exhibits A and B Wariable Lable, the type, size and depth of each well or the general specifications of any other of groundwater See exhibits A and B. groundwater withdrawn each year See exhibits A and B. countered in the drilling of each well if available -O-
7. The date of commenceme drawal of groundwater	See exhibits A and B. Int and completion of the construction of the well, wells, or other works for with- See exhibits A and B Wariable Lable, the type, size and depth of each well or the general specifications of any other of groundwater See exhibits A and B. groundwater withdrawn each year. See exhibits A and B.
7. The date of commencement drawal of groundwater	See exhibits A and B. Int and completion of the construction of the well, wells, or other works for with- See exhibits A and B Variable Lable, the type, size and depth of each well or the general specifications of any other of groundwater. See exhibits A and B. groundwater withdrawn each year. See exhibits A and B. countered in the drilling of each well if available. -O-
7. The date of commencement drawal of groundwater	See exhibits A and B. Int and completion of the construction of the well, wells, or other works for with- See exhibits A and B Variable Lable, the type, size and depth of each well or the general specifications of any other of groundwater. See exhibits A and B. groundwater withdrawn each year. See exhibits A and B. countered in the drilling of each well if available. -O- La similar nature as may be useful in carrying out the policy of this act, including
7. The date of commencement drawal of groundwater	See exhibits A and B. See exhibits A and B Variable lable, the type, size and depth of each well or the general specifications of any other of groundwater See exhibits A and B. groundwater withdrawn cach year See exhibits A and B. countered in the drilling of each well if available. a similar nature as may be useful in carrying out the policy of this act, including se of any county record See exhibits A and B.
7. The date of commencement drawal of groundwater	See exhibits A and B. See exhibits A and B Variable lable, the type, size and depth of each well or the general specifications of any other of groundwater See exhibits A and B. groundwater withdrawn cach year See exhibits A and B. countered in the drilling of each well if available. a similar nature as may be useful in carrying out the policy of this act, including se of any county record See exhibits A and B.
7. The date of commencement drawal of groundwater	See exhibits A and B. See exhibits A and B Variable lable, the type, size and depth of each well or the general specifications of any other of groundwater See exhibits A and B. groundwater withdrawn cach year See exhibits A and B. countered in the drilling of each well if available. a similar nature as may be useful in carrying out the policy of this act, including se of any county record See exhibits A and B.
7. The date of commencement drawal of groundwater	See exhibits A and B. See exhibits A and B Variable lable, the type, size and depth of each well or the general specifications of any other of groundwater See exhibits A and B. groundwater withdrawn cach year See exhibits A and B. countered in the drilling of each well if available. a similar nature as may be useful in carrying out the policy of this act, including se of any county record See exhibits A and B.
7. The date of commencemedrawal of groundwater	See exhibits A and B. Int and completion of the construction of the well, wells, or other works for with- See exhibits A and B Variable Lable, the type, size and depth of each well or the general specifications of any other of groundwater. See exhibits A and B. groundwater withdrawn each year. See exhibits A and B. countered in the drilling of each well if available. -O- La similar nature as may be useful in carrying out the policy of this act, including
7. The date of commencemedrawal of groundwater	See exhibits A and B. See exhibits A and B wariable lable, the type, size and depth of each well or the general specifications of any other of groundwater See exhibits A and B. groundwater withdrawn each year See exhibits A and B. countered in the drilling of each well if available of any county record See exhibits A and B. See exhibits A and B. See exhibits A and B.




EXHIBIT A

STAIL ENGINEER

Township 8 South, Range 3 West, M.P.M.

Well in Section 26, Township 8 South, Range 3 West M.P.M. dug and sunk in 1920 in the month of July it was commenced and completed. Bucket well. 50 gallons withdrawn daily.

Township 9 South, Range 3 West, M.P.M.

Two springs in section 14, Township 9 South, Range 3 West, M.P.M. use appropriated May 1, 1880 continuously used since to irrigate lands under the Lyandecker ditch, a/k/a/ Marshall-Tate-Reeder ditch tapping warm Spring Creek on West bank thereof. Acreage 170.46.

Two springs in Section 22, said Township and Range, appropriated May 1, 1880 for stockwater and used continuously since. Form little streams from which livestock drink.

Three springs and 1 well in lands owned by the undersigned in section 21, said township and range appropriated May 1, 1880 and used continuously since for stock water; well used in addition for domestic use. Well pumped by electric pump attached to pipe 50 feet deep 1 inch in diameter; casing 4 inch 50 feet also. Total flow of springs and well used at all times.

Well dug in NWt of NEt of section 20, said Township and Range appropriated for domestic use May 1, 1880 only bucket withdrawal. Total flow of well used estimated at 50 gallons per day. 30 feet deep.

One dug well in section 17, said township and range in NW2 SW2 thereof; bucket withdrawal appropriated May 1, 1880; commenced before completed May 1, 1880. Domestic use 50 gallons domestic use daily. 25 feet deep.

One spring in NETSEt of section 18, 9 South, Range 3 West, M.P.M. appropriated for domestic use and watering livestock.

Date appropriated May 1, 1880. Accumulates in stream.

Township 9 South, Range 4 West, M.P.M.

Well in Swinwi of section 26, said Township and Range, appropriated May 15, 1880 for stockwater and domestic use. Used continuously since to full extent of flow. Well is a dug well, 20 feet deep with-drawal about 50 gallons per day.

TOWNSHIP PLAT , TOWNSHIP 85 MERIDIAN. W- Well S- Spring O- Location of Well or Spring Scale - One inch = 1 Mile.

S. Department of Agriculture Soil Conservation Service DEC 30 1869

STALL ENGINEER

Manne 3 West M.P.N. I was commerced and Frun deily. XHIBIT B 2

Department of Agriculture
Soil Conservation Service

]	
-	ا و	,			;			_	L	i 4		-	1	<u> </u>			z		7		—— 1 1		
			1.						1	}	ļ												
		-						-		-	<u> </u>	-		-	_	-		35, \$					
					ļ			ļ	ļ.,	ļ	ļ		ļ	•	ļ ļ		i I .		<u> </u>			2	
_		7	_		-	3				9 — 	 		-1	0 — 			-					<u> </u>	
			.		ļ				ļ					1									
_	_	-			 			T		1						Ī	 	S	<u>.</u>		ļ		<u>.</u>
		ļ							1] 15—			S	ţ 4−		L	<u> </u>	3—	_
_	-1	8— 	To	2	 	7 				16- 				ļ	<u>.</u>	.	S	 	<u> </u>		<u>.</u>	ļ	<u> </u>
••••			S	W								L	_			\perp		_		_	<u> </u>	-	<u>. </u>
							ļ		ļ	<u> </u>			ļ			ļ	<u>.</u>]			
					L,	0 -			<u></u>	21-		Į.	1	2 2	-	\vdash	<u>.</u>	2 2 3 ~	-	\vdash	 -2	4	-
		<u> </u>		<u> </u>			w	ļ				53	ļ		<u> </u> 	-	-		 .	-	+-		!
			L	_		1	_	\downarrow	-	i V W	+	1	-	+	\dotplus	+	 	+	╁	+		+	+
	ļ	1	ļ	<u>.</u>	.	<u>. </u>	 .					-	<u>.</u>	-}	<u>.l</u>		•	-	•			1	-
	Ļ.) 30-	╀-	+	+	2 9 -	\vdash	+	+-	2 8-	+	+	•	27-	<u> </u>	\dagger	÷	26-		1	† -	2 5 - 	T
•••				.			 	-				-									"		
	-	+	+	+		+	-	+	+	+	╅	†		+		†	-						
	. 		-						-					1	Ť							36-	
	+	3 (—	+	+	╫	32- 		1		33. 		1		34-				35-				Ĭ	1.
	+		-			-			T		1												
	ــــــــــــــــــــــــــــــــــــــ	ط									. i									in the			
44		7				j]_				1					_:
		- -	4						ile Nove			٦		٦	30 . 13 .				di.				
 		ــ لـ		<u>. 15 - 1</u>					1			/ -											•
]_	114 J	***					<u>.</u>			Ļ	<u>:</u>	ـ لـ					and the section of th	-			_;
<u> </u>		7				, de		* 1	Sirks		1	Γ	-	٦.				14	. 4				

W- wer. S- Spring O- Location of Wellow Spring

EXHIBIT B 3 U.S. Department of Agriculture Soil Conservation Service TOWNSHIP PLAT TOWNSHIP 95 Scale - One inch = 1 Mile W-Well

, 1254

RECORDER'S OFFICE, Ss. Madison County, Montana.

___ County Records

700 Denut.

Sec. Name of Appropriator Sec. Name of Appropriator Type of Form Pile No. Remarks 23 (Alsh Legent + Pais) 25 Jun Randl) 27 Jun Randl) 28 13 Jun Randl 28 85.3 Jee Jee 23 Alban 34 Juny 28 85.3 Jee Jee 23 Alban 34 Juny 34 Juny 35 Juny 36 Juny 37 Juny 38 Juny 38 Juny 38 Juny 38 Juny 39 Juny 30 Juny 30 Juny 30 Juny 31 Juny 32 Juny 33 Juny 34 Juny 35 Juny 36 Juny 36 Juny 37 Juny 38 Juny 48 Juny 4	Count	Madison .	_ Twp. <u> </u>	Rge.	16)
23 Lhah Egen + Sais Huy 28853 25 Jun Ranch 5 Juhl Son 20601 25 Jun Ranch Huy 28853 Jin See 23 Abay 34 19 19 19 19 19 19 19 19 19 19 19 19 19		Name of Appropriator	Type of Form	County File No.	Remarks
25 Jun Ranch 57 Will Jon 20601 25 Jun Ranch 74 92 7572 23 Wold Agency Jas Huly 28853 lee 23 Abay 34 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	Sec.				
25 Jun Ranch 21 4 2 8 5 1 3 23 Ind Rigner 2023 Hury 2885 3 die See 23 Abr. 34 28 5 3 die See 23 Abr.	23		F2 101 P. a		
23 (508) Gonst-Jas Huy 2885.3 Vie Sec. 23 Abru.	25			1	
34	$\frac{2}{3}$	Carry Carry	14,14		Die Sen 23 alique
	34				
					e e e e e e e e e e e e e e e e e e e
					
			_		
				ļ	
				 	
3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1				 	
3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1	<u>(1960-9)</u> 145-130			+	
3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1					
3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1				 	
3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1 3. 1					
3. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.					
3. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.					
3. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.					
		<u> </u>		<u> </u>	
1				1	
	F			1	
	<u> </u>				<u> </u>
					<u> </u>
	 				
	 		 		
			i i	1	

	Approved Stock Form-State Publishing Co., Helena, Montana-42234
ile No	T. 85R. lw. M.P.M.
UPLICATE	County Madison
No. of the control of	STATE OF MONTANA
	ADMINISTRATOR OF GROUNDWATER CODE
	OFFICE OF STATE ENGINEER DECETVEN
	Declaration of Vested Groundwater Rights AN 3 196#
	(Under Chapter 237, Montana Session Laws, 1961)
	(Under Chapter 237, Montana Session Laws, 1961) STAIL ENGINEER
1 m	
	ne of Appropriator) (Address) (Town)
County of M	ladison State of Montana groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:
nave appropriated a	groundwater according to the Montana laws in effect prior to Sandary 1, 1902, as follows:
N N	2. The beneficial use on which the claim is based are appropris
x ox x x	tions for irrigation, stockwater and domestic use
x xo x x	
23.7	3. Date or approximate date of earliest beneficial use; and how continu
X X (035) X	ous the use has been 1890 as to all springs; 1947 c
xxx/xx	efor the Thompson Well; same date for the other we
7	c x6xdx
, J	4. The amount of groundwater claimed (in miner's inches or gallon per minute) The total flow of all springs. The
	" ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '
	needs.
1 ! ! ! •	5. If used for irrigation, give the acreage and description of the land to which water has been applied and name of the owner thereo
\$	
.	Springs in sec. 23 subirrigates in excess of R 1 w 200 scree in sec. 23 and the springs in Sec. 25
s XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	Springs in sec. 23 subirrigates in excess (85 Rl W 200 acres in sec. 23 and the springs in Sec. 25 (propertition irrigates an additional 75 acres in said sec. 25)
Sec. T. Nicote Point of ap nd place of use, if pos	Springs in sec. 23 subirrigates in excess (85 Rl W 200 acres in sec. 23 and the springs in Sec. 25 (propriation springs in additional 75 acres in said sec. 25; (in T.85., R. LW, M.P.M.
Section T. XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	Springs in sec. 23 subirrigates in excess some springs in sec. 23 and the springs in sec. 25 irrigates an additional 75 acres in said sec. 25; if in 1.85., R. W., M.P.M. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. The subjection
.	Springs in sec. 23 subirrigates in excess (85 Rl W 200 acres in sec. 23 and the springs in Sec. 25 (propriation springs in additional 75 acres in said sec. 25; (in T.85., R. LW, M.P.M.
Sec. T. Note that the point of ap and place of use, if pos mall square represent	Springs in sec. 23 subirrigates in excess subpropriation sible. Each in 1.85., R. W., M.P.M. 6. The means of withdrawing such water from the ground and the local subirrigation of each well or other means of withdrawal The subirrigation occurs naturally from the said spring sources.
Sec. T. Sec. T. ndicate point of ap nd place of use, if pos mall square represent	Springs in sec. 23 subirrigates in excess subpropriation sible. Each in 1.85., R. W., M.P.M. 6. The means of withdrawing such water from the ground and the local subirrigation of each well or other means of withdrawal The subirrigation occurs naturally from the said spring sources.
Secure T. Nicate point of ap and place of use, if pos mall square represent 7. The date of com drawal of ground	Springs in sec. 23 subirrigates in excess some springs in sec. 25 subirrigates in excess some springs in sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates and the springs of the subirrigates and the subirrigates and sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates and sec. 25 subirrigates
Secure T. XIXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	Springs in sec. 23 subirrigates in excess so acres in sec. 23 and the springs in Sec. 25; if irrigates an additional 75 acres in said sec. 25; if in T.8S., R. lw, M.P.M. 6. The means of withdrawing such water from the ground and the loss tion of each well or other means of withdrawal The subirrigation of the construction of the said spring sources. Immencement and completion of the construction of the well, wells, or other works for withdrawal the two wells at the Buildings on said lands in Section and Range were commenced and completed in 1947.
Security T. MAXXXX Security T. MAXXXX Security T. MAXXXX Security T. Additional security of the point of appendix square represent the security of the sec	Springs in sec. 23 subirrigates in excess some springs in sec. 25 subirrigates in excess some springs in sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates and the springs of the subirrigates and the subirrigates and sec. 25 subirrigates an additional 75 acres in said sec. 25 subirrigates and sec. 25 subirrigates
The date of comdrawal of ground said Township 8. The depth of water 9. So far as it may	Springs in sec. 23 subirrigates in excess so acres in sec. 23 and the springs in Sec. 25; if irrigates an additional 75 acres in said sec. 25; if in T.8S., R. lw, M.P.M. 6. The means of withdrawing such water from the ground and the loss tion of each well or other means of withdrawal The subirrigation of the construction of the said spring sources. Immencement and completion of the construction of the well, wells, or other works for withdrawal the two wells at the Buildings on said lands in Section and Range were commenced and completed in 1947.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. Wells are about 15 feet deep and are dug wells concrete walls and pipes to water attached to power pumps.

10. The estimated amount of groundwater withdrawn each year. the total capacity to extent of needs.

11. The log of formations encountered in the drilling of each well if available.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. The springs attempted to be described on the plat consist of clusters of springs in both costions and the number cannot be definitely determined but every spring is claimed by appropriation of the use of the total water formed the few in each of said two sections platted and described above.

Signature of Owner.

Date December 30, 1963.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

18853 agene and Lois Halsh AECORDER'S OFFICE
Madison County, Montana
Filed

Oct. 3/ The matter of Australia and Au entern (mil. if w Denut \$2 2 Saparage

Manual St. Louis, Elian and Land St. Louis, Co. Louis,

s and a firm of the first of the firs

DECEIVE County Madison... MONTANA BUREAU OF MINES AND GEOLOGY Butte, Montana STATE ENGINEER WATER WELL LOG Driller C.F. Wroble AddressPC Now 170
Anaconda Mont. Location: Sec. 25 T 85 R/W 1/4 sec. 5/5/14/0. Equipment used Churn drill, rotary, other) Type of well Dug, driven, bored, or drilled) Water use: Domestic Irrigation Municipal Industrial Drainage Type Standard Size &" Casing: Swaffage ft. to 41. Туре... Casing:..... Type of screen or perforations..... Static Water level, for non-flowing well: Shut-in pressure, for flowing well: _____lb./sq. in. on: Pumping water level gal. per min... How tested: Pusped Length of test 2 hours Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-

(over)

are conserved and acceptance of the second s

Santa.

Log of Well

	feet	Description of Material Drilled	
From	То		
arface	81	Top soil	
21	401		
	40	Sand gravel and eley mix Some bouldre	the state of the s
40	41'	Water bearing sand and gravel.	
	10 1 3 1 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
	77.85 (C.)		
			3.1.1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
			The part of the part of the entire of the part of the
	100 July		
		Harrist Control of the Control of th	M. Stimmer und Teach
formula d			
A SA			
		[1] (1) (4) (2) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	
		and the second of the second o	and the property of the property of
	alidayə ədələri Yaşında ədələri		
Garage Color			The state of the second section of
		[한 140] 한 142 전 142 전 - 142 전 1	
	(0.14)		
	ar dawa son		
<u> </u>	i. F		
20	*		3
	N/W	S _E	
-131		LOE	
	RI	N. H. G.	- Common of the
13	3/	1, 1	1
	2	Montage .	
	M		
 			
	G. M.	<u>\$</u>	and the second of the second o
			Contraction of the Contraction o

Server I

.

		And the second s	
<i></i>			
.		Approved Stock Form—State Put	T. Madison
'ile No	***************************************	μ 1	T B
UPLICATE			County
<u>.</u> 19.	8:	TATE OF MONTANA	
	Administr.	ATOR OF GROUNDWATER COI	DECEIVED
e e e e e e e e e e e e e e e e e e e		E OF STATE ENGINEER	DECEIVED DEC 30 1963
	Declaration of	Vested Groundwater r 237, Montana Session Laws, 196	Rights FINGINFER
	(Under Chapte	r 237, Montana Session Laws, 196	i) STATE LINGUEZE
	R		
1 Jun	· /Tanch	(Address) State of State to the Montena laws in affect prints	Lamanon
(Name of Appropriator)	(Address)	(Town)
County of	ed groundwater according t	State of PP CT	or to January 1, 1962, as follows:
na o approprias	ta Broanawasar accorame		
	N 	The heneficial use on which the cl	aim is hased
		House hold &	aim is based
	3.	Date or approximate date of earl	iest beneficial use; and how contin
	×	ous the use has been	
/ - - -		57	O Kesselg
			- 10.1 (1.1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1
	4.	The amount of groundwater cla	imed (in miner's inches or gallo
		per minute)	
	-		
	5.	If used for irrigation, give the a to which water has been applie	creage and description of the lan
E 1/E 0-		None	
E N.E. Sec. 25	TENK		
ndicate point of	appropriation		
ind place of use, if mall square repre	possible. Each	The means of withdrawing such	water from the ground and the loc
man square tebre	sents to acres.		f withdrawal
		Pump	
7. The date of	commencement and completi	ion of the construction of the wel	l. wells, or other works for wit
drawal of gro	undwater	/ Sept. 1950	
	921//20	1 Sept 1750	
8. The depth of v		FT.	
		size and depth of each well or the	
works for the	withdrawai of groundwater		
	7011	LIN COS	1.32-5

***************************************	~44.04.04.04.04.07.074.04.04.04.04.00.04.00.04.00.074.00.04.00.074.00.074.00.074.00.074.00.074.00.074.00.074.00		
10. The estimated	amount of groundwater wi	thdrawn each year55	
			3 "-"
 The log of for 	mations encountered in the	dulling of each well if available	
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		***************************************

Signature of Owner

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

reference to book and page of any county record.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

15052

MICHELLE TO ACCOUNT SERVICES RECORDER'S OFFICE, ladison County, Montana, Control Charles (1987) The Charles Control of the Control Sometime that the second of th The state of the s 

County Records

Deni

Total Total

v		Approved Stock Form-State Publishing Co., Helena, Montana-42234
ile No		T SS R IW, M.P.M.
UPLICATE		County Madison
To the second se	ADMINIS	STATE OF MONTANA STRATOR OF GROUNDWATER CODE FICE OF STATE ENGINEER  OF Vested Groundwater Rights DEC 23 1963
•	Declaration (Under Ch	of Vested Groundwater Rights DEC 23 1963 Paper 237, Montana Session Laws, 1961) STATE ENGINEER
•	•	
Edwa	rd L. McAtee Name of Appropriator)	, of Cameron (Address) (Town)
County of Mad have appropriate	<b>ison</b> d groundwater accordi	State of Montana ng to the Montana laws in effect prior to January 1, 1962, as follows:
	N	2. The beneficial use on which the claim is based. Stockwater and household use.
		<ol> <li>Date or approximate date of earliest beneficial use; and how continous the use has been Well dug July, 1952; continuous use since.</li> </ol>
		4. The amount of groundwater claimed (in miner's inches or gallon per minute) 500 gallons per hour.
	X X X	5. If used for irrigation, give the acreage and description of the land to which water has been applied and name of the owner there
dicate point of ad place of use, if all square repres	appropriation possible. Each	6. The means of withdrawing such water from the ground and the loc
dicate point of ad place of use, if nall square repres	appropriation possible. Each ents 10 acres.  Secommencement and comp	6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Electic pump attached to pape sunk in well. Well is locate ELSEL of 34. T. 88., R. 1W., M.P.M.
dicate point of ad place of use, if all square representations.  The date of contraction of ground the date	appropriation possible. Each ents 10 acres.  Sommencement and compandwater	6. The means of withdrawing such water from the ground and the loc tion of each well or other means of withdrawal Electic pump attached to pape sumk in well. Well is locate Eisel of 34. T. 88. R. lw., M.P.M.  pletion of the construction of the well, wells, or other works for with ced and completed July 1952.
dicate point of ad place of use, if all square representations.  The date of ordered drawal of grounds.  The depth of well so far as it moved works for the well and the second s	appropriation possible. Each ents 10 acres.  Sommencement and comp undwater	6. The means of withdrawing such water from the ground and the loc tion of each well or other means of withdrawal Electic pump attached to pape sumk in well. Well is locate EisEi of 34, T. 88., R. 1W., M.P.M.  pletion of the construction of the well, wells, or other works for wit ced and completed July 1952.  130 feet.  pe, size and depth of each well or the general specifications of any other Casing six inches diameter - 25 inch pips
dicate point of ad place of use, if all square representations.  The date of order of drawal of grounds.  The depth of we works for the vertical of the control of the cont	appropriation possible. Each ents 10 acres.  Sommencement and compandwater	6. The means of withdrawing such water from the ground and the loc tion of each well or other means of withdrawal Electic pump attached to pape sumk in well. Well is locate Eisel of 34. T. 88., R. 1W. M.P.M.  pletion of the construction of the well, wells, or other works for with ced and completed July 1952.  130 feet.
dicate point of ad place of use, if nall square representations.  The date of contract of drawal of grounds.  The depth of works for the works for the works.	appropriation possible. Each ents 10 acres.  Sommencement and comp indwater	6. The means of withdrawing such water from the ground and the loc tion of each well or other means of withdrawal Electic pump attached to pape sumk in well. Well is locate EisEi of 34. T. 88. R. lw., M.P.M.  pletion of the construction of the well, wells, or other works for wit ced and completed July 1952.  130 feet.  pe, size and depth of each well or the general specifications of any other Casing six inches diameter - 2; inch pipe
dicate point of ad place of use, if all square representations of the date of ordered and of growth. The depth of which works for the whole of the control o	appropriation possible. Each ents 10 acres.  Sommencement and compandwater	6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Electic pump attached to pape sunk in well. Well is located ELSEL of 34. T. 88. R. 1W. M.P.M.  pletion of the construction of the well, wells, or other works for with located and completed July 1952.  130 feet.  pe, size and depth of each well or the general specifications of any other Casing six inches diameter - 2½ inch pipe withdrawn each year 1,095,000 gallons per year.  the drilling of each well if available Not available - well deep.
dicate point of ad place of use, if all square representations of the date of ordered and of grounds. The depth of which works for the works f	appropriation possible. Each ents 10 acres.  Sommencement and compundwater	6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Electic pump attached to pape sumk in well. Well is locate ELSEL of 34, T. 88., R. 1W., M.P.M.  pletion of the construction of the well, wells, or other works for with locate and completed July 1952.  130 feet.  pe, size and depth of each well or the general specifications of any other Casing six inches diameter - 21 inch pipe  withdrawn each year 1,095,000 gallons per year.
dicate point of ad place of use, if all square representations of the date of ordered and of grown.  The depth of we works for the works for t	appropriation possible. Each ents 10 acres.  Sommencement and comp undwater	6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Electic pump attached to pape sunk in well. Well is locate EISE of 34, T. 85. R. IW., M.P.M.  pletion of the construction of the well, wells, or other works for withdrawn completed July 1952.  130 fast.  pe, size and depth of each well or the general specifications of any other Casing six inches diameter - 22 inch pips  withdrawn each year 1,095,000 gallons per year.  the drilling of each well if available. Not available - well at deep.  ature as may be useful in carrying out the policy of this act, including the record.
dicate point of ad place of use, if all square representations of drawal of grounds. The depth of works for the wo	appropriation possible. Each ents 10 acres.  Sommencement and comp undwater	6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Electic pump attached to pape sunk in well. Well is locate EisEi of 34, T. 88. R. IW., M.P.M.  pletion of the construction of the well, wells, or other works for with ced and completed July 1952.  130 fact.  pe, size and depth of each well or the general specifications of any other casing six inches diameter - 2 inch pipe  withdrawn each year 1,095,000 gallons per year.  the drilling of each well if available. Not available - well at deep.  ature as may be useful in carrying out the policy of this act, including ty record.
dicate point of ad place of use, if all square representations of the date of ordered and of grounds. The depth of which works for the whole of the control	appropriation possible. Each ents 10 acres.  Sommencement and comp undwater	6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Electic pump attached to pape sunk in well. Well is locate ELSEL of 34. T. 88. R. IW., M.P.M.  pletion of the construction of the well, wells, or other works for wit ced and completed July 1952.  130 feet.  pe, size and depth of each well or the general specifications of any other Casing six inches diameter - 21 inch pipe  withdrawn each year 1,095,000 gallons per year.  the drilling of each well if available. Not available - well ature as may be useful in carrying out the policy of this act, including the record.  Signature of Owner Shamed T. M. M.

28306		*		41 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -
			200	ilo ass.
RECORDER'S OFFICE, \s.				
Madison County, Montana,  Filed 60 19 196  at 2,30 o'clock 6	m			
County Recorde				
Tee 8 Denlift				

Page _____of___/ GROUNDWATER INDEX County Madison County File No. Type of Form Remarks Name of Appropriator Sec. 489)9 26233 28380 24774

# RECEIVED

STATE OF MONTANA

19/3 19/3

DRILLER'S LOG

ADMINISTRATOR OF GROUNDWATER CODE

MONTANA WATER RESOURCES BOARD

MONTANA DEPARTMENT OF HATNESS of strata such as soil, clay, sand,

MOTICE OF COMPLETION OF GROUNDWATER: SAID COUSESYATIGRAVEL, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Developed after January 1, 1962

by the owner with the County Cl	iller, and three copies to be filed lerk and Recorder in the county in	From (Feet)	To (Feet)		
which the well is located, last co	py to be retained by driller.	_1_	245	_Coarse dirt	y-everburd
Please answer all questions. If not form may be returned.	f applicable, so state, otherwise the	245 254	247	_Buff Shale _Static Weter	i di Pipari di Maria Malaysia Malaysia Na maria maria Malaysia Malaysia Malaysia
Owner George Bolts	하는 경기 (1985년 1987년 - 1987년 - 1987년 - 1987년	265	280	Silty Clay	
	For Administrator's Use				
Address Cameron	File 48979			Table Committee of Spirit Spirit	
Montana	January 2.1973				
Date well started 11=2=71	1:50 p.m.	-			
Date well started	GW I				er Eanim
completed12-2-71		J			
Type of well drilled			3. 75° 3.3 3.55° 3.2.		A C
	(Dug, driven, bored or drilled)				
Equipment usedcable_tool_	(Chura drill, rotary or other)		3° 23		
Water Use: Domestic 🔲 Munic	ipal 🗀 Stock 🗶 Irrigation 🗔				
Industrial 🔲 🖟 Drainage 🔽	] Other □* Garden/Lawn □			era la la la cara	0.040
*Describe					
state number of acres and lo	strial, drainage or other. Explain, cation or other data (i.e. Lot, Block				
and Addition).					2.21
(1) 14 (1) 19 (4) (1) 14 (2) 14 (4) 15 (4) 15 (4) 16 (4) 16 (4) 16 (4) 16 (4) 16 (4) 16 (4) 16 (4) 16 (4) 16 (4					ALTO THE PARTY
				1. 1 1. 1 1. 1 1. 1 1. 1 1. 1 1. 1 1.	and the second second second
estimated annual withdrawa					
Size of Size and From	To PERFORATIONS				
Size of Size and From Drilled Weight (Feet) of Casing	To PERFORATIONS  Kind From To Size (Feet) (Feet)				
Size of Size and From Drilled Weight (Feet) of Casing	To PERFORATIONS				
Size of Drilled Weight (Feet) of Casing (Feet)	To PERFORATIONS  Kind From To Size (Feet) (Feet)				
Size of Drilled Weight (Feet) of Casing (Feet)	To PERFORATIONS  Kind From To Size (Feet) (Feet)				
Size of Drilled Weight (Feet) of Casing (Feet)	To PERFORATIONS  Kind From To Size (Feet) (Feet)				
Size of Drilled Weight of Caing (Feet)  7" 0.D. +1  22#	To PERFORATIONS  Kind From To Size (Feet) (Feet)				
Size of Drilled Weight (Feet) of Casing (Feet)	(Feet)  PERFORATIONS  Kind From To (Feet)  270°				6
Size of Drilled Weight of Caing (Feet)  7" 0.D. +1  22#	To PERFORATIONS  Kind From To Size (Feet) (Feet)				
Size of Drilled Weight of Caing (Feet)  7" 0.D. +1  22#	Static water level	*			6 7
Size of Drilled Weight of Caing (Feet)  7" 0.D. +1  22#	Static water level	*			6 7
Size of Drilled Weight of Caing (Feet)  7" 0.D. +1  22#	Static water level 250 ft.  Pumping water level 250 ft.  at 15 gallons per minute measured 120 minutes after pumpin began.  *Measured from ground level.	*			6 7
Size of Drilled Weight Weight (Feet)  7" O.D. +1  222	Static water level 244 ft. Pumping water level 250 ft. at 15 gallons per minute measured 120 minutes after pumpin began. *Measured from ground level. Well developed by	*			6 7
Size of Drilled Weight Weight (Feet)  7" O.D. +1  222	Static water level 244 ft. Pumping water level 250 ft. at 15 gallons per minute measured 120 minutes after pumpin began. *Measured from ground level. Well developed by for 2 hours. Power Pump H	* g 			6 7
Size of Drilled Weight Weight (Feet)  7" O.D. +1  222	Static water level 244 ft. Pumping water level 250 ft. at 15 gallons per minute measured 120 minutes after pumpin began. *Measured from ground level. Weil developed by for 2 hours. Power Pump H Remarks: (Gravel packing, cementing	* g 			6 7
Size of Drilled Weight Weight (Feet)  7" O.D. +1  22#  N	Static water level 244 ft. Pumping water level 250 ft. at 15 gallons per minute measured 120 minutes after pumpin began. *Measured from ground level. Well developed by for 2 hours. Power Pump H	* g 			6 7
Size of Drilled Weight (Feet)  7" O.D. +1  22#  N	Static water level 244 ft. Pumping water level 250 ft. at 15 gallons per minute measured 120 minutes after pumpin began. *Measured from ground level. Weil developed by for 2 hours. Power Pump H Remarks: (Gravel packing, cementing	* g 			5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
Size of Drilled Weight Weight (Feet)  7" O.D. +1  22#  N	Static water level 244 ft. Pumping water level 250 ft. at 15 gallons per minute measured 120 minutes after pumpin began. *Measured from ground level. Weil developed by for 2 hours. Power Pump H Remarks: (Gravel packing, cementing	* g 			10 6 10 10 10 10 10 10 10 10 10 10 10 10 10
Size of Drilled Weight (Feet)  770 O.D. +1  22#  N  N  N  N  N  N  N  N  N  N  N  N  N	Static water level ft. Pumping water level 250 ft. at 15 gallons per minute measured 120 minutes after pumpin began. *Measured from ground level. Well developed by for 2 hours. Power Pump H Remarks: (Gravel packing, cementing packers, type of shutoff)	*			
Size of Drilled Weight (Feet)  770 O.D. +1  22#  N  N  N  N  N  N  N  N  N  N  N  N  N	Static water level for gallons per minute measured 120 minutes after pumpin began.  **Measured from ground level.**  **Weil developed by for hours.**  **Power	*			
Size of Drilled Weight (Feet)  7" O.D. +1  22#  N  N  N  N  N  N  N  N  N  N  N  N  N	Static water level for gallons per minute measured 120 minutes after pumpin began.  **Measured from ground level.**  **Weil developed by for hours.**  **Power	*			

報報の

TRIPLICATE

T 8S. R 1E.

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED

# Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

	Date of Appropriation of Groundwater June 1936
	Owner U. S. Forest Service Address Ennis, Montana
	Contractor (if any) Not applicable
	Address of Contractor # #
현 최고 이 등 보고 있다. 경기 :	Date Started June 1936 Date Completed June 1936
N	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
	water when applicable The water development consists
	of a concrete spring box from which approximately
	1000 feet of 3/4" galvanized pipe extends to Bear
	E Creek Station.
s	Quantity of water developed and used with explanation of meth- od used to measure or estimate such amount. If use is intermit-
'.4 Sec. 12 T 88. R 18.	tent estimate approximate lengths of periods of use
dicate point of appropriation	The spring flows at approximately .3 gallons per
d place of use, if possible.	minute. The rate of flow was based on an ocular
	estimate. The spring is used during the spring,
	summer and fall months.
	Signature of Owner Grand & Word Grant Tool &

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

T SS. R 1E.

TRIPLICATE

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

PECEVED Marcollogae

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1936 | Sune 1936 |
Sunis Ranger District |
Owner U. S. Forest Service Address | Ennis | Montain

Address of Contractor .

Date Started June 1936 Date Completed June 1936

Describe means of obtaining; groundwater without a well (as by sub-irrigation and other "natural "processes". Includes depth so

0 1

water when applicable The water development counts to

of a concrete spring box from which approximately

1000 feet of 3/A" galvanized pipe extends to Bear.
Greek Station:

N 1/2 " Sec. 12 Tes. R'18. tent

Indicate point of appropriation and place of use if possible.

tent estimate approximate lengths of periods of us

The spring flows at approximately .3 gallons par.

d used to measure or estimate such amount If use is intermit

minute. The rate of flow was based on an ocular

estimate. The spring is used during the spring;

summer and fall months.

Signature of Owner

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

RECORDER'S OFFICE.

Machison County, Montana.

Filed 10 19 6 7

S County Recorder

37

Deputy

the second and the second seco

en de mateur estre (de président de la companya de

.

71

File No.

Madsson

DUPLICATE

County..... ADMINISTRATOR OF GROUNDWATER CODE

## OFFICE OF STATE ENGINEER Declaration of Vested Groundwater Rights E ENCINEER

STATE OF MONTANA

Henry Huber		Cameron, of	
(Name of Appropriator) Madison		(Address) Montana	(Town)
'ounty or	ng to	the Montana laws in effect prior to Jan	nary 1, 1962, as follows:
	2.	The beneficial use on which the claim is bas domestic and livestock	ed
	3.	Date or approximate date of earliest benef	icial use; and how contin
		ous the use has been october 1950 well drilled	continuous
E		use since April 1951	***************************************
	4	The amount of groundwater claimed (in	miner's inches or gallo
	<b>.</b>	per minute) 5.3 gal. per minut	e
	5.	If used for irrigation, give the acreage ar	d description of the lan
SE4SE4 s		to which water has been applied and n not used for	ame of the owner there
16 8S 1E		100 USeu 101	*44*+2*****
licate point of appropriation	• 1		
l place of use, if possible. Each all square represents 10 acres.	6.	The means of withdrawing such water from	m the ground and the lo
an square represents to acres.		tion of each well or other means of withdra 22 inch withdrawal pipe	
근데, 현존 소문 발문 이번 그는 사이트 이번	, ,	24 inch withdrawal plpe we electric pump - six inch c	asing
		electric pump - six inon c	esing
The date of commencement and com		electric pump - six inon c	esing
The date of commencement and commencement of groundwater April 19		electric pump - six inch of the construction of the well wells pump installed, well drills	esing
	pletion 51 I	electric pump - six inch of the well wells, pump installed , well drilled	esing
The depth of water table Sixt	pletion 51 r	electric pump - six inch of the well wells oump installed , well drille	easing or other works for with a coctober 1950
The depth of water table Sixt	pletion 51 r	electric pump - six inch of the well wells oump installed , well drille	easing or other works for with a coctober 1950
The depth of water table Sixt	pletion 51 r y fe	electric pump - six inch of n of the construction of the well wells pump installed, well drilled est  ize and depth of each well or the general well is 194 feet. see	or other works for with the october 1950
The depth of water table S1Xt	pletion 51 r y fe	electric pump - six inch of n of the construction of the well wells pump installed, well drilled est  ize and depth of each well or the general well is 194 feet. see	or other works for with the october 1950
The depth of water table S1Xt	pletion 51 r y fe	electric pump - six inch of n of the construction of the well wells pump installed, well drilled est  ize and depth of each well or the general well is 194 feet. see	er other works for wited October 1950
The depth of water table	pletion 51 p y fe	electric pump - six inch of the well wells oump installed , well drilled eet  ize and depth of each well or the general well is 194 feet. see	or other works for with october 1950 specifications of any other of means
The depth of water table	pletion 51 p y fe	electric pump - six inch of n of the construction of the well wells pump installed, well drilled est  ize and depth of each well or the general well is 194 feet. see	or other works for with october 1950 specifications of any other of or means
The depth of water table	pletion 51 I y fe pe, si ter	electric pump - six inch of n of the construction of the well wells pump installed, well drilled eet  ize and depth of each well or the general well is 194 feet. see	or other works for with october 1950 specifications of any other for means
The depth of water table	pletion  y fe  pe, si  ter	electric pump - six inch of the well wells oump installed, well drilled eet  ize and depth of each well or the general well is 194 feet. see output feet and depth of each well is 194 feet. see output feet and remaind the s	or other works for with october 1950 specifications of any other for means
The depth of water table	pletion  I I  y fe  pe, si  ter  with  the di	electric pump - six inch of n of the construction of the well wells pump installed, well drilled eet  ize and depth of each well or the general well is 194 feet. see	or other works for wited October 1950  specifications of any other for means
The depth of water table	y fe	electric pump - six inch of the well, wells, pump installed , well drilled eet  ize and depth of each well or the general well is 194 feet. see of the well is available.  idea of each well if available.  idea of each well if available.  idea of each well if available.  available	specifications of any other means
The depth of water table	y fe  pe, si  tter  with  ature  mature  my r	electric pump - six inch of the well wells, oump installed well drilled well drilled well drilled well installed well drilled well is 194 feet. see of the well is 194 feet. see of the well if available available well in carrying out the percord.	specifications of any other means  specifications of any other means
The depth of water table	y fe  pe, si  tter  with  ature  mature  my r	electric pump - six inch of the well wells, oump installed well drilled well drilled well drilled well installed well drilled well is 194 feet. see of the well is 194 feet. see of the well if available available well in carrying out the percord.	specifications of any other means  specifications of any other means  specifications of any other means
The depth of water table	y fe  pe, si  tter  with  ature  mature  my r	electric pump - six inch of the well wells of the construction of the well wells of the well drilled well installed well drilled well is 194 feet. see of the well is 194 feet. see of the well is 194 feet. see of the well if available is a may be useful in carrying out the precord.	or other works for wited October 1950  specifications of any other for means  specifications of any other for means
The depth of water table	y fe  pe, si  tter  with  ature  mature  my r	electric pump - six inch of the well wells of the construction of the well wells of the well drilled well installed well drilled well is 194 feet. see of the well is 194 feet. see of the well is 194 feet. see of the well if available is a may be useful in carrying out the precord.	easing or other works for with the control of the c
The depth of water table	y fe  pe, si  tter  with  ature  mature  my r	electric pump - six inch of the well wells, oump installed well drilled well drilled well drilled well installed well drilled well is 194 feet. see of the well is 194 feet. see of the well if available available well in carrying out the percord.	easing or other works for wind of October 1950 specifications of any other for means specifications of any other for means

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator. 13530

South of to a principle of the solution (16%) (december 20 2003) Carbon of Young the control RECORDER'S OFFICE, \\
Madison County, Montana.\)
Filed \( \text{Mad} \)
2 3 12 Tell the control of the least o

A CALL THE PARTY OF THE PARTY O

A JAMES OF THE PROPERTY OF THE

お湯は養養など、大きのは、大きのは、 というない

The country on the many propagations of the probability of the

The money of all the state states and seems of the course of the course

	***************************************	T. 88. R. IL
UPLIC	DATE	County Madison
		STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE
	Top of Ground	OFFICE OF STATE ENGINEER
- 3	(Elev. above sea level	Notice of Completion of Groundwater
- 4	TOP SOIL & CLAY	Appropriation by Means of Well
- ,9		(Under Chapter 237, Montana Session Laws, 1961)
- 19		Owner Kenneth Durham Address Cameron, Montana
- 18		Driller M. E. Jones Address Bossman, Montana
- 21		Date of Notice of Appropriation of Groundwater
- 24		Date well started July 15, 1969 Date Completed July 26, 1969
- 27 - 30		그는 사람들이 되었다. 그는 사람들은 사람들은 사람들이 가장 그렇게 되었다면 하는 생각이 되었다면 하는 사람들이 되었다. 그 사람들이 살아 없는 사람들이 되었다면 하는 사람이 되었다면 하는 사람들이 되었다면 되었다면 하는 사람들이 되었다면 하는 사람들이 되었다면 하는 사람들이 되었다면 하는 사람들이 되었다면 하
- 33 - 36	SAND, CLAY AND BOULDERS	Type of well drilled Equipment Used chara drill  (dug, driven, bored or (Churn, drill, rotary or other)
- 39		Water Use: Domestic. ■ Municipal □ Other □ Irrigation Industrial □ Drainage □ Stock. ■
- 44	Poc. No	Indicate on the diagram the character and thickness of the differe
45	this // day of Abul A. D. 19 70, at 2:30	strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, e  Show depth at which water is encountered, thickness and character of water
- 48 - 51	A. D. 19 70, at 2:30 o'clock PM	bearing strata and height to which water rises in the well.
- 54	o clockM.	Size of Size and From To PERFORATIONS
- 57		Hole Casing Kind From To
- 6d	2일 전 경험 경험 시간 기업 전 기업 경험 기업	1 Size (Feet) (Feet)
		6 5/8 OII Labove   102
\$1.3.40 E		6
- 6:		그는 🖊 🚣 하는 사람들은 마음이 없는 다른 다른 사람들이 되었다. 그 사람들이 되었다. 그를 가장 하는 사람들이 되었다. 그를 가장 하는 것이 없다. 그를 가장 하는 것이 없다면 다른 것이다. 그를 가장 하는 것이 없다면 다른 것이다. 그를 가장 하는 것이다면 다른 것이다면 다른 것이다면 다른 것이다면 다른 것이다면 다른 것이다면 되었다면 다른 것이다면 다른 것
- 63 - 66		6# x   ground
- 63 - 66 - 69		6# x ground
- 63 - 66		6" X ground
- 6: - 6: - 6: - 7: - 7: -78	SANDY CLAY MUD	6" X ground 17# Static Water Level for non-flowing Well 50 fee
- 63 - 64 - 69 - <del>7</del> 7 - 75 - 78	SANDY CLAY MUD	Static Water Level for non-flowing Well 50 fee
- 63 - 66 - 69 - 73 - 75 - 78 - 81 - 84	SANDY CLAY MUD	Static Water Level for non-flowing Well 50 fe
- 63 - 64 - 69 - 73 - 75 - 78 - 81 - 84 - 87	SANDY CLAY MUD	Static Water Level for non-flowing Well 50 fee  Shut-in Pressure for Flowing Well Pumping Water Level 103 feet at 40 gal per minut
- 63 - 64 - 73 - 73 - 78 - 81 - 84 - 87 - 90	SANDY CLAY MUD	Static Water Level for non-flowing Well  Shut-in Pressure for Flowing Well  Pumping Water Level 103 feet at 40 gal per minus  Discharge in gal per min of flowing well
- 63 - 64 - 74 - 78 - 78 - 81 - 84 - 87 - 90		Static Water Level for non-flowing Well  Shut-in Pressure for Flowing Well  Pumping Water Level 103 feet at 40 gal. per minus  Discharge in gal. per min. of flowing well
- 63 - 64 - 73 - 75 - 78 - 81 - 84 - 87 - 90 - 93 - 96		Static Water Level for non-flowing Well  Shut-in Pressure for Flowing Well  Pumping Water Level 103 feet at 40 gal per minute Discharge in gal per min of flowing well  How Tested by pump Length of Test 1 hour  Remarks: (Gravel packing, cementing, packers, type of shutoff, local packers, ty
- 63 - 64 - 73 - 78 - 81 - 87 - 90 - 93 - 99		Static Water Level for non-flowing Well  Shut-in Pressure for Flowing Well  Pumping Water Level 103 feet at 40 gal. per minu  Discharge in gal. per min. of flowing well  How Tested by pump Length of Test 1 hour  Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and an
- 63 - 64 - 75 - 78 - 81 - 84 - 87 - 90 - 93 - 99		Static Water Level for non-flowing Well  Shut-in Pressure for Flowing Well  Pumping Water Level  103  feet at  Discharge in gal. per min. of flowing well  How Tested  by pump  Length of Test  Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and an other similar pertinent information, including number
- 63 - 64 - 69 - 73 - 78 - 81 - 87 - 90 - 93 - 99	60FT SANDSTONE FINE NEW AVEL & SAND	Static Water Level for non-flowing Well 50 fee  Shut-in Pressure for Flowing Well  Pumping Water Level 103 feet at 40 gal per minus  Discharge in gal per min of flowing well  How Tested by pump Length of Test 1 hour  Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and an other similar pertinent information, including number acres irrigated, if used for irrigation)
- 63 - 64 - 69 - 73 - 78 - 81 - 87 - 90 - 93 - 99	SOFT SANDSTONE FINE CRAVEL & SAND 14 Sec. 21 T 88 R	Static Water Level for non-flowing Well 50 fee  Shut-in Pressure for Flowing Well  Pumping Water Level 103 feet at 40 gal. per minute Discharge in gal. per min. of flowing well  How Tested by pump Length of Test 1 hour  Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and an other similar pertinent information, including number acres irrigated, if used for irrigation)
- 63 - 64 - 69 - 73 - 78 - 81 - 87 - 90 - 93 - 99	60FT SANDSTONE FINE AVEL & SAND 14 Sec. 21 T.8S R Indicate location of well	Static Water Level for non-flowing Well  Shut-in Pressure for Flowing Well  Pumping Water Level  103  Feet at  Discharge in gal. per min. of flowing well  How Tested  by pump  Length of Test  Remarks: (Gravel packing, cementing, packers, type of shutoff, loc tion of place of use of groundwater if not at well, and ar other similar pertinent information, including number acres irrigated, if used for irrigation)  1E  and  Static Water Level for non-flowing Well  50  feet at  40  gal. per minut  1 hour  1 hou
- 63 - 64 - 69 - 73 - 78 - 81 - 87 - 90 - 93 - 99	SOFT SANDSTONE FINE CRAVEL & SAND 14 Sec. 21 T 88 R	Static Water Level for non-flowing Well  Shut-in Pressure for Flowing Well  Pumping Water Level  Discharge in gal. per min. of flowing well  How Tested  by pump  Length of Test.  Remarks: (Gravel packing, cementing, packers, type of shutoff, loc tion of place of use of groundwater if not at well, and ar other similar pertinent information, including number acres irrigated, if used for irrigation)  1E  and Each
- 6; - 64 - 74 - 75 - 78 - 81 - 87 - 90 - 93 - 96 - 99	60FT SANDSTONE  FINE NEW AVEL & SAND  1/4 Sec. 21 T.8S R  Indicate location of well place of use, if possible. I	Static Water Level for non-flowing Well  Shut-in Pressure for Flowing Well  Pumping Water Level  Discharge in gal. per min. of flowing well  How Tested  By pump  Length of Test.  Remarks: (Gravel packing, cementing, packers, type of shutoff, loc tion of place of use of groundwater if not at well, and an other similar pertinent information, including number acres irrigated, if used for irrigation)  1E  and  Each
- 6: - 6: - 6: - 7: - 7: - 81 - 81 - 87 - 90 - 93 - 99	60FT SANDSTONE  FINE NEW AVEL & SAND  1/4 Sec. 21 T.8S R  Indicate location of well place of use, if possible. I	Static Water Level for non-flowing Well  Shut-in Pressure for Flowing Well  Pumping Water Level  Discharge in gal. per min. of flowing well  How Tested  by pump  Length of Test.  Remarks: (Gravel packing, cementing, packers, type of shutoff, loc tion of place of use of groundwater if not at well, and ar other similar pertinent information, including number acres irrigated, if used for irrigation)  1E  and Each
- 6: - 6: - 6: - 7: - 7: - 81 - 81 - 87 - 90 - 93 - 99	FINE AVEL & SAND  FINE AVEL & SAND  14. Sec. 21. T 83. R. Indicate location of well place of use, if possible. I small square represents 10 ac	Static Water Level for non-flowing Well  Shut-in Pressure for Flowing Well  Pumping Water Level  Discharge in gal. per min. of flowing well  How Tested  By pump  Length of Test.  Remarks: (Gravel packing, cementing, packers, type of shutoff, loc tion of place of use of groundwater if not at well, and an other similar pertinent information, including number acres irrigated, if used for irrigation)  1E  and  Each
- 6; - 64 - 74 - 75 - 78 - 81 - 87 - 90 - 93 - 96 - 99	FINE AVEL & SAND  FINE AVEL & SAND  14. Sec. 21. T 83. R. Indicate location of well place of use, if possible. I small square represents 10 ac	Static Water Level for non-flowing Well.  Shut-in Pressure for Flowing Well.  Pumping Water Level. 103 feet at 40 gal. per minut  Discharge in gal. per min. of flowing well.  How Tested. by pump  Length of Test. 1 hour  Remarks: (Gravel packing, cementing, packers, type of shutoff, loc tion of place of use of groundwater if not at well, and ar other similar pertinent information, including number acres irrigated, if used for irrigation)  1E  and Each cres.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

46354

为25.757年高级 100 747 Page of Conday A Comment of the comm nryk J2 Jaco Car electron of RECORDER'S OFFICE SS.
Madison Courty, Montana S
Filed Obras 12 1972

o'clock P no

Marty County Recorders

Deputy 31 ingle he le Joues mention navieted and the qui jieq Light could have been upon 11.00

ۇ: ئۇرۇپ ئۇرۇپ

		•
		~
		61
1	-1	61

			T & South R1 East
UPLICATE		STATE OF MONTANA	County Madison
		ATOR OF GROUNDWATER COD	E ( ) In the the that when
	OFFI	CE OF STATE ENGINEER	E DECEIVED
	Declaration of	of Vested Groundwater Rig	
		er 237, Montana Session Laws, 196	
Jean	Et. mendy	of Cameron	/m
County of	of Appropriator)  Madison	State of	na (Town)
have appropriated lows:	l groundwater accordi	ng to the Montana laws in effect	prior to January 1, 1962, as fol
N		701 . 1	
	2.	The beneficial use on which the	
	3.	Date or approximate date of earl	
•		tinuous the use has beenDe	cember 20, 1961
	E	LOULIMOUS STICE DECEM	ないしょ かいえい 見づらいでんり ししょうしい がっしょす かっぱんりょ
	4.	The amount of groundwater claim	ned (in miner's inches or gallon
		per minute)17 g	allons per minute
S		If used for irrigation, give the lands to which water has been	acreage and description of the applied and name of the owner.
		thereofMot appl	icable
E 4.NW/sec.29. T	85 r/E		icable
ndicate point of app	propriation		icable
ndicate point of ap nd place of use, i lach small square re	propriation if possible. 6.	The means of withdrawing such	icable water from the ground and th
ndicate point of ap and place of use, i Each small square re	propriation if possible. 6.	The means of withdrawing such location of each well or other me Electric submer	icablewater from the ground and the ears of withdrawalsible pump.
ndicate point of ap nd place of use, i lach small square re cres.	propriation If possible. 6. presents 10	The means of withdrawing such location of each well or other me Electric submer	icable water from the ground and the eans of withdrawal sible pump
ndicate point of ap nd place of use, i lach small square re cres.  The date of comm	propriation  If possible. 6.  presents 10  nencement and comple	The means of withdrawing such location of each well or other me Electric submer	icable water from the ground and the sans of withdrawal sible pump.
ndicate point of ap nd place of use, in cach small square re- cres.  The date of comm	propriation  If possible. 6.  presents 10  nencement and comple water Started	The means of withdrawing such location of each well or other me Electric submer	icable water from the ground and the sans of withdrawal sible pump.  I, wells, or other works for with
ndicate point of appind place of use, in the case of communication of communication of case of communication of case of communication of case o	propriation  If possible. 6.  presents 10  nencement and comple water Started	The means of withdrawing such location of each well or other me Electric submer stion of the construction of the well spril 1961, completed Decem	water from the ground and the cans of withdrawal sible pump.  1, wells, or other works for with ber. 20, 1961
ndicate point of appind place of use, in clack small square reporters.  The date of commodrawal of grounds.	propriation  f possible. 6.  presents 10  nencement and comple water Started  er table 11:3	The means of withdrawing such location of each well or other me Electric submer stion of the construction of the well spril 1961, completed Decements.	water from the ground and the ears of withdrawal sible pump.  I, wells, or other works for with the constant of the constant o
ndicate point of appind place of use, in the lack small square reserves.  The date of commodrawal of grounds  The depth of water so far as it may be other works for the lack of the lack	propriation  If possible. 6.  presents 10  nencement and comple water Started  er table 113  e available, the type, ne withdrawal of grou	The means of withdrawing such location of each well or other me Electric submer stion of the construction of the well worll 1961, completed Decements. 6 in.  Size and depth of each well or the new street of the construction of the well or the constructio	water from the ground and the cans of withdrawal sible pump.  1, wells, or other works for with the can so see the can see the can see general specifications of an
ndicate point of append place of use, it can be a common to the common drawal of grounds.  The depth of water so far as it may be other works for the common to the common	propriation  If possible. 6.  presents 10  nencement and comple water Started  er table 11,3  ne available, the type, ne withdrawal of grou rilled to 155 ft.	The means of withdrawing such location of each well or other me Electric submer stion of the construction of the well spril 1961, completed Decement of the size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of each well or the new size and depth of	water from the ground and the cans of withdrawal sible pump.  1, wells, or other works for with ber. 20, 1961.  e general specifications of an sing to a depth of
ndicate point of appind place of use, it can be also as a cres.  The date of commodrawal of grounds  The depth of water so far as it may be other works for the second sec	propriation  f possible. 6.  presents 10  nencement and comple water Started  er table 11,3  e available, the type, in me withdrawal of grou rilled to 155 ft.  53 ft. 1 in	The means of withdrawing such location of each well or other me Electric submer tion of the construction of the well spril 1961, completed Decements. Size and depth of each well or the ndwater Lin. Casedwith 7" 0. D. ca	water from the ground and the cans of withdrawal sible pump.  I, wells, or other works for with the can so, 1961.  The general specifications of an sing to a depth of
ndicate point of appind place of use, in Cach small square rescrets.  The date of commit drawal of grounds.  The depth of wate.  So far as it may be other works for the same of the same	propriation  f possible. 6.  presents 10  hencement and comple water Started  er table lli3 he available, the type, he withdrawal of ground in the comple of the complete of the com	The means of withdrawing such location of each well or other me Electric submer stion of the construction of the well spril 1961, completed Decements. 6 in.	water from the ground and the cans of withdrawal sible pump.  I, wells, or other works for with ber. 20,. 1961.  e general specifications of an sing to a depth of
ndicate point of appind place of use, in Cach small square rescrets.  The date of commit drawal of grounds.  The depth of wate.  So far as it may be other works for the light square rescrete.	propriation  f possible. 6.  presents 10  nencement and comple water Started  er table lli3 ne available, the type, ne withdrawal of grounding for the started started to 155 ft.  ount of groundwater	The means of withdrawing such location of each well or other me Electric submer stion of the construction of the well spril 1961, completed Decements. Size and depth of each well or the ndwater lain. Casedwith 7" 0. D. ca	water from the ground and the cans of withdrawal sible pump.  I, wells, or other works for with ber. 20,. 1961  e general specifications of an sing to a depth of gallons
ndicate point of appind place of use, in Cach small square reporters.  The date of commit drawal of grounds.  The depth of water so far as it may be other works for the control of the co	propriation  f possible. 6.  presents 10  nencement and comple water Started  er table lli3 ne available, the type, ne withdrawal of grounding for the started started to 155 ft.  ount of groundwater	The means of withdrawing such location of each well or other me Electric submer stion of the construction of the well spril 1961, completed Decements. Size and depth of each well or the ndwater lain. Casedwith 7" 0. D. ca	water from the ground and the cans of withdrawal sible pump.  I, wells, or other works for with ber. 20,. 1961  e general specifications of an sing to a depth of gallons
The depth of water So far as it may be other works for the stimated amount of the log of formating to life Rock.	propriation  f possible. 6.  presents 10  nencement and comple water Started  er table 113  e available, the type, ne withdrawal of grou rilled to 155 ft.  53 ft. 1 in.  ount of groundwater ons encountered in the gravel and sand,	The means of withdrawing such location of each well or other me Electric submer stion of the construction of the well spril 1961, completed Decements. 6 in.	water from the ground and the cans of withdrawal sible pump.  I, wells, or other works for with the call to the ca
ndicate point of appind place of use, in Cach small square relaces.  The date of commit drawal of grounds.  The depth of water so that the contract of the con	propriation  f possible. 6.  presents 10  nencement and comple water Started  er table lli3  ee available, the type, ne withdrawal of grou rilled to 155 ft.  53 ft. h in  ount of groundwater  ons encountered in the gravel and sand, to 129! Clay and	The means of withdrawing such location of each well or other me Electric submer tion of the construction of the well spril 1961, completed Decement of the in. Casedwith 7" 0. D. ca withdrawn each year730,000	water from the ground and the cans of withdrawal sible pump.  I, wells, or other works for with ber 20, 1961  e general specifications of an sing to a depth of gallons  1' to 3' Top soil 15' 5' ty sand (water and water bearing)
ndicate point of append place of use, in clack small square rejectes.  The date of commend drawal of grounds.  The depth of water works for the commend of the control of t	propriation  If possible. 6.  presents 10  mencement and comple water Started  er table 11:3  me available, the type, me withdrawal of groundilled to 155 ft.  53 ft. 1: in  ount of groundwater  ons encountered in the meaning gravel and sand, to 129 Clay and  eation of a similar nation	The means of withdrawing such location of each well or other me Electric submer tion of the construction of the well spril 1961, completed Decement of the in.  Size and depth of each well or the notate of the case of the construction of the well or the notate of the case of the construction of the well or the notate of the case	water from the ground and the sans of withdrawal sible pump.  , wells, or other works for with ber 20, 1961  e general specifications of an sing to a depth of gallons  l' to 3' Top soil  15' "ity sand (water and sater bearing)  t the policy of this act, includin
ndicate point of append place of use, in clack small square rejectes.  The date of commend drawal of grounds.  The depth of water so the control of the cont	propriation  If possible. 6.  presents 10  mencement and comple water Started  er table Ili3  e available, the type, me withdrawal of groundilled to 155 ft.  53 ft. li in.  ount of groundwater  cons encountered in the mencement and sand, to 129! Clay and mation of a similar naturand page of any countilled and counties.	The means of withdrawing such location of each well or other me Electric submer tion of the construction of the well spril 1961, completed Decement of the in.  Size and depth of each well or the nothing of the case with 7" 0. D. case with 7" 0. D. case withdrawn each year	water from the ground and the cans of withdrawal sible pump.  I, wells, or other works for with the can so, 1961  e general specifications of an sing to a depth of gallons  1' to 3' Top soil  15' 'ty sand (water and sater bearing)  t the policy of this act, includin
ndicate point of append place of use, in clack small square rejectes.  The date of commend drawal of grounds.  The depth of water so the control of the cont	propriation  If possible. 6.  presents 10  mencement and comple water Started  er table Ili3  e available, the type, me withdrawal of groundilled to 155 ft.  53 ft. li in.  ount of groundwater  cons encountered in the mencement and sand, to 129! Clay and mation of a similar naturand page of any countilled and counties.	The means of withdrawing such location of each well or other me Electric submer tion of the construction of the well spril 1961, completed Decement of the in.  Size and depth of each well or the notate of the case of the construction of the well or the notate of the case of the construction of the well or the notate of the case	water from the ground and the cans of withdrawal sible pump.  I, wells, or other works for with the can so, 1961  e general specifications of an sing to a depth of gallons  1' to 3' Top soil  15' 'ty sand (water and sater bearing)  t the policy of this act, includin
ndicate point of append place of use, in clack small square rejectes.  The date of commend drawal of grounds.  The depth of water so the control of the cont	propriation  If possible. 6.  presents 10  mencement and comple water Started  er table Ili3  e available, the type, me withdrawal of groundilled to 155 ft.  53 ft. li in.  ount of groundwater  cons encountered in the mencement and sand, to 129! Clay and mation of a similar naturand page of any countilled and counties.	The means of withdrawing such location of each well or other me Electric submer tion of the construction of the well spril 1961, completed Decements. Size and depth of each well or the ndwater land. Casedwith 7" 0. D. ca withdrawn each year	water from the ground and the cans of withdrawal sible pump.  I, wells, or other works for with the can so the county of an an angle of the can sing to a depth of call to 3! Top soil 15! 5 ty sand (water and water bearing)  It the policy of this act, including the call can be call the call can be call the call can be call call to call call call call call call call cal
ndicate point of append place of use, in clack small square rejectes.  The date of commend drawal of grounds.  The depth of water so the control of the cont	propriation  If possible. 6.  presents 10  mencement and comple water Started  er table Ili3  e available, the type, me withdrawal of groundilled to 155 ft.  53 ft. li in.  ount of groundwater  cons encountered in the mencement and sand, to 129! Clay and mation of a similar naturand page of any countilled and counties.	The means of withdrawing such location of each well or other me Electric submer tion of the construction of the well spril 1961, completed Decements. Size and depth of each well or the ndwater land. Casedwith 7" 0. D. ca withdrawn each year	water from the ground and the cans of withdrawal sible pump.  I, wells, or other works for with the can so, 1961  e general specifications of an sing to a depth of gallons  1' to 3' Top soil  15' 'ty sand (water and sater bearing)  t the policy of this act, includin

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

RECORDER'S OFFICE, Sa Madison County, Montana.)
Filed Montana 19

Charles Carlo 

Const. Special Control of the Contro

(Authority of the Authority)

-YDemity

See a mark and Ventorius and Information of the second section of the section The of the symptom cans do some become not not the  endies, reserver some ett herbiels istavboniory do denomente 🗜 A DESCRIPTION OF THE PROPERTY OF . 41 to actions who sparte out ord action with bose it of any order of actions of the contract 1500-004 Administration of

kkundyerigie in teser oledbei gidiem it est it esea did THOU BEING BRIDIES BRIDIES TOWN estimbly to the property of the hospitalism. options and the state and waster about the transfer of the state of th

	· · · · · · · · · · · · · · · · · · ·
le No	T.8 South R 1 East
JPLICATE	County Madison
	STATE OF MONTANA
ADMI	NISTRATOR OF GROUNDWATER CODE
	office of state engineer  Ition of Vested Groundwater Rights  DECEIVE
<b>D</b> eclara	or the first of t
(Under	Chapter 237, Montana Session Laws, 1961)  STATE ENGINE
	그 그 그 그는 그는 그를 가장하셨다. 사라는 그 그를 가게 하는 것
Jean Etchemendy	or) (Address) (Town)
County of Madison	State of Nontana
have appropriated groundwater lows:	according to the Montana laws in effect prior to January 1, 1962, as fo
N	
	The beneficial use on which the claim is based     Stockwater
	그 그는 그는 그는 그는 그는 그들은 그들은 그리고 있다면 하는 것이 되었다. 그 그 사람들이 얼마나 사람들이 없는 것이다.
	3. Date or approximate date of earliest beneficial use; and how continuous the use her been December 21. 1959
	3. Date or approximate date of earliest beneficial use; and how continuous the use has been
	는 사람들은 사람들이 되었다. 그는 사람들이 되었다. 그런 사람들이 되었다. 그런 사람들이 모든 사람들이 되었다. 그는 사람들이 되었다. 그는 사람들이 되었다. 그런 사람들이 되었다. 그런 사람들이 보고 있다. 그런 사람들이 되었다.
	4. The amount of groundwater claimed (in miner's inches or gallon
	per minute) 17 gallons per minute
	<ol><li>If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner.</li></ol>
사이 지수의 등을 발하하는 것으로 받아 있다. 그것 같아 집 사람들은 하나 이를 보는 것이 된다.	thereof Not applicable
<i>E45E4</i> Sec. 2 T&S R/E	
ndicate point of appropriation nd place of use, if possible.	6. The means of withdrawing such water from the ground and th
ach small square represents 10	그는 그는 그는 그 그 그는 그들은 소설을 가는 것을 가득하는 것들은 살림을 받는 수 있다는 사람들이 되었다. 그들은 전략 회사 기계를 받는 것이다.
	location of each well or other means of withdrawal
ach small square represents 10	location of each well or other means of withdrawal
ach small square represents 10 cres.  The date of commencement and	location of each well or other means of withdrawal Electric submersible pump completion of the construction of the well, wells, or other works for with
ach small square represents 10 cres.  The date of commencement and	location of each well or other means of withdrawal  Electric submersible nump  completion of the construction of the well, wells, or other works for with
ach small square represents 10 cres.  The date of commencement and drawal of groundwater	location of each well or other means of withdrawal Electric submersible pump  completion of the construction of the well, wells, or other works for with  st. 1959. Pump installed and in use December 21, 1959
ach small square represents 10 cres.  The date of commencement and drawal of groundwater	location of each well or other means of withdrawal Electric submersible nump  completion of the construction of the well, wells, or other works for with st 1959. Pump installed and in use December 21, 1959.  80 feet
ach small square represents 10 cres.  The date of commencement and drawal of groundwater	location of each well or other means of withdrawal Electric submersible pump  completion of the construction of the well, wells, or other works for with ust 1959. Pump installed and in use December 21, 1959.  80 feet.  type, size and depth of each well or the general specifications of an of groundwater.
ach small square represents 10 cres.  The date of commencement and drawal of groundwater	location of each well or other means of withdrawal  Electric submersible pump  completion of the construction of the well, wells, or other works for with  ist 1959. Pump installed and in use December 21, 1959.  80 feet.  type, size and depth of each well or the general specifications of an of groundwater  Cased with 7 inch casing.
ach small square represents 10 cres.  The date of commencement and drawal of groundwater	location of each well or other means of withdrawal  Electric submersible nump  completion of the construction of the well, wells, or other works for with  ist 1959. Pump installed and in use December 21, 1959.  80 feet  type, size and depth of each well or the general specifications of an of groundwater  Cased with 7 inch casing
The date of commencement and drawal of groundwater  Drilling started Augument to the depth of water table  So far as it may be available, the other works for the withdrawal of the depth 106 feet.	location of each well or other means of withdrawal  Electric submersible nump  completion of the construction of the well, wells, or other works for with  nst 1959. Pump installed and in use December 21, 1959.  80 feet  type, size and depth of each well or the general specifications of an of groundwater  Cased with 7 inch casing.
The date of commencement and drawal of groundwater  Drilling started Augument to the depth of water table  So far as it may be available, the other works for the withdrawal of Depth 106 feet.  The estimated amount of ground	location of each well or other means of withdrawal  Electric submersible nump  completion of the construction of the well, wells, or other works for with  nst 1959. Pump installed and in use December 21, 1959.  80 feet  type, size and depth of each well or the general specifications of an of groundwater  Cased with 7 inch casing.
The date of commencement and drawal of groundwater  Drilling started Augument to the depth of water table  So far as it may be available, the other works for the withdrawal of Depth 106 feet.  The estimated amount of ground the log of formations encountered to 10 keck & gravel, 16 30 to 100 Water bearing as	location of each well or other means of withdrawal Electric submersible pump  completion of the construction of the well, wells, or other works for with ust 1959. Pump installed and in use December 21, 1959.  80 feet.  type, size and depth of each well or the general specifications of an of groundwater  Cased with 7 inch casing.  lwater withdrawn each year 730,000 gallons  d in the drilling of each well if available Surface to h. Sod  1 to 20 Clay, 20 to 80 Silty clay and fine gravel
The date of commencement and drawal of groundwater  Drilling started Augument The depth of water table  So far as it may be available, the other works for the withdrawal of Depth 106 feet.  The estimated amount of ground The log of formations encountered to 10 to 100 Water bearing of Such other information of a simil reference to book and page of any series.	location of each well or other means of withdrawal  Electric submersible pump  completion of the construction of the well, wells, or other works for with  ist 1959. Pump installed and in use December 21, 1959.  80 feet.  type, size and depth of each well or the general specifications of an of groundwater  Cased with 7 inch casing.  Iwater withdrawn each year 730,000 gallons  d in the drilling of each well if available Surface to h. Sod  1 to 20 Clay, 20 to 80 Silty clay and fine gravel  sand.  lar nature as may be useful in carrying out the policy of this act, including y county record.
The date of commencement and drawal of groundwater  Drilling started Augument The depth of water table  So far as it may be available, the other works for the withdrawal of Depth 106 feet.  The estimated amount of ground The log of formations encountered to 10 to 100 Water bearing of Such other information of a simil reference to book and page of any series.	location of each well or other means of withdrawal  Electric submersible pump  completion of the construction of the well, wells, or other works for with  ist 1959. Pump installed and in use December 21, 1959.  80 feet  type, size and depth of each well or the general specifications of an of groundwater  Cased with 7 inch casing.  Iwater withdrawn each year 730,000 gallons  d in the drilling of each well if available Surface to h. Sod  1 to 20 Clay, 20 to 80 Silty clay and fine graval  sand  lar nature as may be useful in carrying out the policy of this act, including y county record
The date of commencement and drawal of groundwater  Drilling started Augument The depth of water table  So far as it may be available, the other works for the withdrawal of Depth 106 feet.  The estimated amount of ground The log of formations encountered to 10' Rock & gravel, 16 30' to 100' Water bearing at Such other information of a simil reference to book and page of an	location of each well or other means of withdrawal  Electric submersible pump  completion of the construction of the well, wells, or other works for with  ist 1959. Pump installed and in use December 21, 1959.  80 feet  type, size and depth of each well or the general specifications of an of groundwater  Cased with 7 inch casing.  Iwater withdrawn each year 730,000 gallons  d in the drilling of each well if available Surface to h. Sod  1 to 20 Clay, 20 to 80 Silty clay and fine graval  sand  lar nature as may be useful in carrying out the policy of this act, including y county record

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

1745.

24774 Jun Etchemerchy

The first test of the first of

scholagen to scholl

with a sufficient commentation country of the touch and suit states no san basilities and of which productions

10.6 ME

September 1

And the part of th

The substitution of the su

東京 日本書館の 大阪学 を見れない

भिगामाना भ्रम

aldlessy. Here to social one miletiques to think being being き気持ちがあるまで

an taur bayon, sel raint respectable differential property of presentable of

ACTUAL DEPOSE OF THE STATE OF T

on the contract has exceeded and even nontection and before the contract of th

THE PARTY OF

GROUNDWATER INDEX

Page _____of______

County Madison

Twp. & S

Rge. 2E

Sec.	Name of Appropriator	Type of Form	County File No.	Remarks
28	Enry Rong & D. B. W. D. Frank Lever	2013	26236	
29	U. Storet leave Englospor Sist	203	26238	
30		2W3	26235	
33	and the second of the	JW3	26234	
35	Concession and the second	723	26237	
			7	
4.4-3				
Ç.V.			,	
		A STATE OF	:	
160 Act				
ta est				<u> </u>
			<b>†</b>	
			<del></del>	
		<del> </del>	<del> </del>	
		<del> </del>		
		<u> </u>	<del> </del>	
<del> </del>		<u> </u>		
	<del> </del>			
		<u> </u>	<del> </del>	· \
		<u> </u>		
			* .	
V				

GW 3 MACH! File No TRIPLICATE County STATE OF MONTANA

STATE OF GROUNDWATER CODE OFFICE OF STATE ENGINEER Notice of Completion of Groundwater Appropriation Without (Under Chapter 237 Montana Session Laws, 1961) June Date of Appropriation of Groundwater ... Ennis Hanger District Owner U. S. Forest Service Address Not applicable Contractor (if any) .. Address of Contractor Date Started June 1947 Date Completed June 1947 Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to The water development consists water when applicable.... of a rocked-up catch basin from which 40 feet of galvanized pipe leads to a plank water trough. Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermit-NS  $_{\frac{1}{4}}$  Sec. 28 T 3S.R 2W. tent estimate approximate lengths of periods of use Indicate point of appropriation The spring flows at approximately 1 gallon per and place of use, if possible. minute. The rate of flow was based on an ocular estimate. The spring is used during the poriod

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Signature of Owner

of 6-16 to 10-15 each year,

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

26236 THE PROPERTY OF THE PARTY OF TH nichtligt edewenner? is notestand to solick RECORDER'S OFFICE AND COUNTY, Montanas Vied (1201 and Child Manney Section Leave that) Aide sign math in the White of Counsells THE BOUND WAS THE TOP THE CONTROL OF established for collected for the formation of the format Coletector (IX 304) TO THE REAL PROPERTY OF THE PARTY OF THE PAR NAME OF THE PERSON OF THE PERS 

and the control terration from the following the control of the

Fi	le N	Ю		•••••		· · · · · · · · · · · · · · · · · · ·				T 3 1 2 2 1
TI	RIPI	LIC	ATI	2						County a Madison
										STATE OF MONTANA  County of Madison  D  E  E  V
							Al	DM	INI	STRATOR OF GROUNDWATER CODE
									•	OFFICE OF STATE ENGINEER STAFFE ENGI
						24				그 이 그는 그 그 그 그는 그 그는 그는 그는 그 그는 그 그는 그를 가장하는 것이 없었다. 사람들은 사람들은 바다 가장이 되었다.
	36	N	otic	e c	ì	C ₀₁	npi	eti	on	of Groundwater Appropriation Without Well
٠,				4			(ប	nde	rC	Chapter 237 Montana Session Laws, 1961)
	100			i i i Line						
				ing Notes				ġ÷.		Date of Appropriation of Groundwater June 1942
									8 .	U.S. Forest Service Owner Ennis Ranger DistrictAddress Ennis, Montana
										요 이 사이 그는 사람들은 그래요 그리고 한 사람들은 밝혔다. 맞다
								. :		Contractor (if any) Hot applicable
				3 . m						Address of Contractor 18 18
						-				Date Started June 1942 Date Completed June 1942
					N					Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
	3/			. A 4		基素				water when applicable. The water development consists
					1					of 100 feet of 2m pipe leading from a rocked-up
					1					catch basin to a plank water trough.
w	20 A. 20 A. 20 A.			12.00	  -				- ,	8
		<del> </del>			-	+		-	-	
			+-	<del>                                     </del>	+			-		
	14.5 m				T			1		Quantity of water developed and used with explanation of meth-
					8					od used to measure or estimate such amount. If use is intermit-
	14		1000	W. dee	144	T.3		S. S.	. 1. 1	tent estimate approximate lengths of periods of use
In ar	dica d p	te lace	poir	it o use	f if	appr pos	opr sibl	iati e.	on	The spring flows at approximately 1 gal. per minute.
				eli eş Arcısi Vəf						The rate of flow was based on an ocular estimate.
		9								The water is used during the period of 6-16 to 10-15,

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Date 2/e

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

是一个一个 Protection of Completion of American Society to commit PRORDER'S OFFICE,
Madison County, Montana. 1967 Continue of the second

This parties with the first that the second second

Properties 16 acres

and training that the manager banks and the series of the

File No......

TRIPLICATE

County Madison

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

STATE ENGINEER

## Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

	•7.				Date of Appropriation of Groundwater June 1951 U. S. Forest Service Owner Ennis Ranger District Address Ennis, Montana
	٠.,				Contractor (if any) not applicable
					Address of Contractor
					Date Started June 1951 Date CompletedJune 1951
<u>&amp;</u>		N			Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable.  Water when applicable.
		-			of a plank trough, 50 feet of 2" galvanized pipe,
					and a rocked-up catch basin.
		39.113		11	
1 . 52	-				Quantity of water developed and used with explanation of meth-
	V.	10 mg	• · · · · · · · · · · · · · · · · · · ·		od used to measure or estimate such amount. If use is intermit-
	Ç,	78 )4 28 )4 23 24 3 24 3	; 30 т. 3	S.R	od used to measure or estimate such amount. If use is intermit-
75.00	123		38 8 3	<b>3.</b> ⋅ R . opriati	od used to measure or estimate such amount. If use is intermit- tent estimate approximate lengths of periods of use
ate	poin	t of	38 8 3	opriati	od used to measure or estimate such amount. If use is intermit- tent estimate approximate lengths of periods of use
ate	poin	t of	appr	opriati	od used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use.  The spring flows at approximately .5 gal. per
ate	poin	t of	appr	opriati	od used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use
ate	poin	t of	appr	opriati	od used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use.  The spring flows at approximately .5 gal. per  minute. The rate of flow was based on an ocular estimate. The water is used during the period of

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

THE PARTY OF THE

RECORDER'S OFFICE, Mantana.

construction of the property in including the outest

Deput'

CHECK CONTROL MADE IN THE CONTROL WITH

Puttering in coulding

The Shirts 1885 1885 The British Shirt

es des contractions de services de services de services de la service de

子の一般の一般を含むない。 これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのこのこには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのことには、これのこと

GW 3		" Neof
File	No	1/18, 7

TRIPLICATE

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

County.

100

ATE ENGINEER

## Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

	Date of Appropriation of Groundwater June 1942 U.S. Forest Service Owner Ennis Ranger Dis. Address Ennis, Montana
	Contractor (if any)
	Address of Contractor
	Date Started June 1942 Date Completed June 1942
	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. The water development consists of p
	water when applicable
	runs from the spring 200 feet to a wooden water trong
	그램 그 얼마를 하는 것이 되고 있었다.
	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermit-
8	
Sec. 33 T.38. R	tent estimate approximate lengths of periods of use
idicate point of appropriated place of use, if possible.	ion The spring flows at approximately .2 gal. per
	minute. The rate of flow was based on an occular
	estimate. The spring is used during the period of
	6-ló to 10-15, each year.
	Signature of Owner Date Date 1 6 2 2
	Date 1062

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

A COLUMN TO SERVICE OF THE PARTY OF THE PART Motor of Campana a Mantanana Walanting White States with the state of The second secon A CONTRACTOR OF THE CONTRACTOR · 在有為學士不過一次 The second second 

File No..... TRIPLICATE STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER TATE ENGINEE Notice of Completion of Groundwater Appropriation Without Well (Under Chapter 237 Montana Session Laws, 1961) Date of Appropriation of Groundwater U.S. Forest Service firms Owner Ennis Ranger DistrictAddre Montana Contractor (if any) ...... Not applicable Address of Contractor ..... Date Started June 1962 1962 .. Date Completed... Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. The water development consists of a wooden spring box and 10 feet of plastic pipe which leads to a 450-gallan redwood tank Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermit-Sec. 35 T 85. R 2E. tent estimate approximate lengths of periods of use

Indicate point of appropriation and place of use, if possible.

The spring flows at approximately .3 gal. per minute.

The rate of flow was based on an ocular estimate. The

water is used during the period from 7-11 to 9-10,

Signature of Owner.

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

THE PARTY OF THE PROPERTY OF THE PROPERTY PARTY. The state of the s Properties and the properties of the properties CONTRACT CALIFORNIA SALES AKANYAN BILBERIE RECORDER'S OFFICE. Sa.

County Recorder

Analytiga sand gibt plants.

Count	y Madison	Twp. 9 S	Rge	(o w)
		- 20 - 20 - 20 - 20 - 20 - 20 - 20 - 20		
Sec.	Name of Appropriator	Type of Form	County File No.	Remarks
23	Chaig Con Co.	4.03	28342	
	δ		1	
			<del> </del>	
		_	+	
			+	
			1	
4				
				~ · · · · · · · · · · · · · · · · · · ·
<u> </u>			_	
				· · ·
			-	
-	<u> </u>			
<u> </u>				
<u> </u>				
				······································
<b></b>		<del></del>		

The STITLE STATE STA

No.

Approved Stock Form-State Publishing Co., Helena, Montana-41337

T 9.8 R 6 W

County Madison

DUPLICATE

File No

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER O OFFICE OF STATE ENGINEER DECEIVED

## Notice of Completion of Groundwater Appropriation EER Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Approx. date of first beneficial use. 1910

Date of Appropriation of Groundwater. December 20, 1963

Owner Craig Cornell Company ddress P.O. Box 111, Dillon

Contractor (if any) None

Address of Contractor Not Applicable

Date Started Unknown Date Completed Unknown

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable Usually obtained by gravity flow springs but occasionally withdrawn through the use of a centrifugal pump driven by a gasoline engine.

Depth to water varies from 0 to 15 feet depending upon precipitation and moisture conditions.

N 2 8 W 1 Sec 23 T 98 R 6W

Indicate point of appropriation and place of use, if possible.

These springs are locally referred to as the "Coy Brown Springs".

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use...Trough capacity of 1,000 gallons is filled daily through the months

of April, May, June, July, August, September, October,

and November. Estimated quantity of water withdrawn

is 250,000 gallons per year.

Signature of Owner Craig Cornell Company

Date December 20, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

28312

28312

28312

28312

Rec.\$ Control of the co

Page ____of__/ GROUNDWATER INDEX County Madison 1 Twp. 95 Rge. 54 County Name of Appropriator File No. Type of Form Remarks 28776

Signature of Owner Livestock Co.

by

Liste's president

December 30. 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

28776 Hilbert Livestock Co		
	ang panggan pa Bigar	
10 10 10 10 10 10 10 10 10 10 10 10 10 1		
Andres to state some interest to septate the septate some septate some septate some septate se		
RECORDER'S OFFICE, \ss. Madison County, Montana.		E STATE
Filed Us. 3/ 1967		
County Records		
By Denii		

GW 3	Approved Stock Form—State Publis	hing Co., Helena, Montana—42199
File No		r 95 R 5W
DUPLICATE		County
	STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CO OFFICE OF STATE ENGINEER	ODE ODE CENVID
		그는 그는 그래쯤이 가장하는 것이 맛을 가 있다.
Notice of	Completion of Groundwater A Without Well	Appropriation """"""

(Under Chapter 237 Montana Session Laws, 1961)

되었다. 그 사람들은 현실 등 생각하는 것이다. 장마리	Date of Appropriation of GroundwaterJune,
	Owner Auby: Dell Ranch Address Alder Montains
	Contractor (if any) Developed by owner
	Address of Contractor
	Date Started
N .	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable
	Hole dug to approx depth of 6 feet in wet see
	end oribed with rock. Water diverted through I'm pipe to troughs for stockwater.
	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent
s  NW 1/4 SW Sec. 30 T.95 R.5M.  Indicate point of appropriation and place of use, if possible.	estimate approximate lengths of periods of use
	Signature of Owle John H. anderson Jo.

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

28650 Ruhj Dell Fænd Macison Juniy, Montaha.

Filed Le 3 d And the part with the contract of the contract THE RESERVE AND THE PROPERTY OF THE PROPERTY O THE SOUTH THE TEXT OF THE STREET, STRE STATE THE PARTY OF A THE TAX THE COURT OF THE PARTY OF THE PARTY. o'clock

GROUNDWATER INDEX

County Marking

Twp. 9 S Rge. 44

Sec. Name of Appropriator

Type of Form File No. Remarks

1 Hillest Lieuthor (h. 9hp. 414 29778

11 Patricus Datesh R. 414 29778

21 Hillest Sieutea R. 414 29777

21 Rolles, R (ottle Dac. Sec. 4144 29844

	<del></del>	Approved Stock Form—State Publishing Co., Helena, Montana—41921 a
ile No	•••••	T48 98 R 4W, MPM
UPLICATE		County Madison
	ADMINIST	RATOR OF GROUNDWATER CODED ECETATION OF GROUNDWATER CODED AND JAN 3 1963
	Declaration of	Vested Groundwater (Rights ENGINEER ter 237, Montana Session Laws, 1961)
GILBERT L	IVESTOCK CO., a	corp. , of Box 345 Dillon (Address) (Town)
County of Madis	ne of Appropriator)	State of Montana
have appropriated g	groundwater according	State of Montana to the Montana laws in effect prior to January 1, 1962, as follows
N		
	2	2. The beneficial use on which the claim is based domestic & stock water
	а	3. Date or approximate date of earliest beneficial use; and how conti
		ous the use has been 1959
	<b>E</b>	
	4	. The amount of groundwater claimed (in miner's inches or gall
		per minute) 6 gallons per minute
	<u></u>	i. If used for irrigation, give the acreage and description of the la to which water has been applied and name of the owner ther
		Tract approx. 100 ft. by 200 ft.
SE.¼ Sec1 T.	Triangle March 1864 and a second	SEZ SWZ SEZ Sect 1 T9S R AW. Owner Gilbert Livestock Co.
ndicate point of ap	propriation sible. Each	
nall square represent	s 10 acres.	The means of withdrawing such water from the ground and the lo
		tion of each well or other means of withdrawal Pump at location set forth in PP 5.
7. The date of com- drawal of ground	mencement and complet	ion of the construction of the well, wells, or other works for w
3. The depth of water	r table 10 feet	
O. So far as it may works for the with	be available, the type, drawal of groundwater.	size and depth of each well or the general specifications of any of 5 inch casing 52 feet deep
***************************************		
70		thdrawn each year540,000 gallons
		drilling of each well if available
***************************************		Unavailable
reference to book a	and page of any county	re as may be useful in carrying out the policy of this act, includ record
		None
************************		Gilbert Layestock/Ca.
***************************************		1 1 K/ W- 1/ H-
		Signature of Owner by its President

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

RECORDER'S OFFICE Madison County, Montana.

Filed 19 3/19 The second of the second property of the second sec And the second s THE PART OF THE PA Section 25 The first designed and state of the state of 

- 1

	Approved Stock Form—State Publishing Co., Helena, Montana—41921
ile No	T 95 R 40
OUPLICATE	STATE OF MONTANA County Madisov
	ADMINISTRATOR OF GROUNDWATER CODE DECEIVED
De	claration of Vested Groundwater Rights ENGINEER (Under Chapter 237, Montana Session Laws, 1961)
	Appropriator) (Address) (Town)
County of have appropriated groun	More State of Modern Agents of State of Modern Agents of State of Montana laws in effect prior to January 1, 1962, as follows:
N	
	2. The beneficial use on which the claim is based Stock water
	3. Date or approximate date of earliest beneficial use; and how continu
	ous the use has been 1887 Continually
	E
	4. The amount of groundwater claimed (ip miner's inches or gallon
	per minute) 25 gale, bl. gruin
	from lack U well
5   1   1   1   1   1   1   1   1   1	5. If used for irrigation, give the acreage and description of the land to which water has been applied and name of the owner thereo
W.1/4 Sec. // T.95	
ndicate point of approp nd place of use, if possible.	priation . Each
mall square represents 10	acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
	tap well pumpe
7. The date of commenc drawal of groundwater	cement and completion of the construction of the well, wells, or other works for with
8. The depth of water tab	le 6
	available, the type, size and depth of each well or the general specifications of any other wal of groundwater.  Hand day Arch walld wells
***************************************	
	37' to water level
0. The estimated amount	of groundwater withdrawn each year. 180,000 gals
	encountered in the drilling of each well if available
r. The rog or formstions (	I have no need of the
	I pour is along of with
reference to book an i	similar nature as may be useful in carrying out the policy of this act, meluding are any county record.
	Signature of Owner
	A settle.
	Date & Lea 1/ 1963

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

28415 Vergh P. Peler RECORDER'S DEFICE,
Madison County, Montana

Filed Design 19 County Records Deputy

G	Approved Stock Form-State Publishing Co., Helena, Montana-41921 @ >3
File No	T.9S R.4V
DUPLICATE	County Madison
ADMINIST	STATE OF MONTANA RAYOR OF GROUNDWATER CODE  DECEMBE  JAN 3 1964
(Under Chap	Vested Groundwater Rights ENGINEER oter 237, Montana Session Laws, 1961)
1Gilbert Livestcok Co., a.c (Name of Appropriator)	orp., of Box 345 Dfllon (Address) (Town)  State of Montana
County of Madison have appropriated groundwater according	State of Montana to the Montana laws in effect prior to January 1, 1962, as follows:
N	2. The beneficial use on which the claim is based
•	3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1917 to 1947
W E	
	4. The amount of groundwater claimed (in miner's inches or gallon per minute)
<b>s</b>	5. If used for irrigation, give the acreage and description of the land to which water has been applied and name of the owner thereo not used for irrigation
NE	6. The means of withdrawing such water from the ground and the loca tion of each well or other means of withdrawal pump.  located at well
drawal of groundwater. 1917.	etion of the construction of the well, wells, or other works for with
	ximately 6 feet
9. So far as it may be available, the type works for the withdrawal of groundwater	size and depth of each well or the general specifications of any other dug well 30 feet deep
	rithdrawn each year 50,000 gallons
11. The log of formations encountered in the	drilling of each well if available
not s	vailable
12. Such other information of a similar natreference to book and page of any county	ure as may be useful in carrying out the policy of this act, including record.
	Gilbert Livestock Co. Signature of Owner by

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

its president
Date December 30, 1963

日本を大名の大 STANG. RECORDER'S OFFICE,
Machison County Montana.

Filed. Dec 3 ( Deputy

A TRAIN OF THE PROPERTY OF THE

all a	4
G	~
CITY	

-410		a
	3	
سكا	3 م <b>ر</b>	

File No.

DUPLICATE

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE JAN 3 OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

thh Crook C	ettle Associa	tilon. Inc. of Sheridan
(Na	me of Appropriator	tion, Inc., of Sheridan (Address) (Town)
unty of	Madison	State of Montana
ve appropriated	groundwater accord	ding to the Montana laws in effect prior to January 1, 1962, as follows:
N		하는 이 그 이 그는 이 이 이 이 이 번째 이 이 없었다면요. 닭
· · · · · · · · · · · · · · · · · · ·		2. The beneficial use on which the claim is based appropriation
		for domestic use.
		3. Date or approximate date of earliest beneficial use; and how contin
····		ous the use has been 1875; continuously since.
See	21 E	
		사용하다 그 사람들은 사람들이 되는 사람들이 가득하다 하는 사람들이 가득하다 하다 살아 없다.
		4. The amount of groundwater claimed (in miner's inches or gallo
		per minute) The total flow.
		5. If used for irrigation, give the acreage and description of the land
Š		to which water has been applied and name of the owner there
14.NW2Sec21T	of on distra	
cate point of a place of use, if po	ippropriation ossible. Each	그들 교통이 그리지 않는 그리는 사람이 그리는 이번 위에서 다른 그릇을 바다?
l square represer	nts 10 acres.	6. The means of withdrawing such water from the ground and the loc
		tion of each well or other means of withdrawal
The date of cordrawal of groun	mmencement and condimenter 187	Hand pump - well located in SW: NW: Sec. 21 T. 9 S., R. & W., M. P. M.  mpletion of the construction of the well, wells, or other works for wit commenced and completed.
The depth of wat	ter tablevariab	T. 9 E., R. 4 W., M. P. M.  Impletion of the construction of the well, wells, or other works for with the commenced and completed.  Itype, size and depth of each well or the general specifications of any other
The depth of wat So far as it may works for the wit withdrawal	ter tablevariably be available, the thdrawal of groundy pipe.	T. 9 S., R. 4 W., M. P. M.  mpletion of the construction of the well, wells, or other works for wit  commenced and completed.
The depth of wat So far as it may works for the wit withdrawal	ter table variably be available, the thdrawal of groundy	T. 9 S., R. 4 W., M. P. M.  Impletion of the construction of the well, wells, or other works for with the commenced and completed.  Itype, size and depth of each well or the general specifications of any other water. Shallow well encased; enclosing a two-inch
The depth of wat So far as it may works for the wit withdrawal	ter table variably be available, the thdrawal of groundy	T. 9 S., R. 4 W., M. P. M.  completion of the construction of the well, wells, or other works for with the commenced and completed.  cole.  type, size and depth of each well or the general specifications of any other water. Shallow well encased: enclosing a two-inch
The depth of wat So far as it may works for the wit withdrawal The estimated ar	ter table variably be available, the thdrawal of groundy pipe.	T. 9 S., R. 4 W., M. P. M.  Impletion of the construction of the well, wells, or other works for with the commenced and completed.  Itype, size and depth of each well or the general specifications of any other water Shallow well encased; enclosing a two-inch ter withdrawn each year. The total flow as required.
The depth of wat So far as it may works for the wit withdrawal The estimated ar	ter table variably be available, the thdrawal of groundy pipe.	T. 9 S., R. 4 W., M. P. M.  Impletion of the construction of the well, wells, or other works for with the commenced and completed.  Itype, size and depth of each well or the general specifications of any other water. Shallow well encased; enclosing a two-inch
The depth of wat So far as it may works for the wit withdrawal  The estimated ar	ter table variably be available, the thdrawal of groundy pipe.	T. 9 S., R. 4 W., M. P. M.  Impletion of the construction of the well, wells, or other works for with the commenced and completed.  Itype, size and depth of each well or the general specifications of any other water Shallow well encased; enclosing a two-inch ter withdrawn each year. The total flow as required.
The depth of wat So far as it may works for the wit withdrawal The estimated ar	ter table variably be available, the thdrawal of groundy pipe.	T. 9 S., R. 4 W., M. P. M.  Impletion of the construction of the well, wells, or other works for with the commenced and completed.  Itype, size and depth of each well or the general specifications of any other water Shallow well encased; enclosing a two-inch ter withdrawn each year. The total flow as required.
The depth of wat So far as it may works for the wit withdrawal  The estimated ar The log of forms  Such other infor reference to book	ter table variable, the thdrawal of groundward of groundward thins encountered in the thing of a similar and page of any contractions are the things and page of any contraction of a similar and a	T. 9 S., R. 4 W., M. P. M.  Impletion of the construction of the well, wells, or other works for with the commenced and completed.  Itype, size and depth of each well or the general specifications of any other water Shallow well encased; enclosing a two-inch ter withdrawn each year. The total flow as required.
The depth of wat So far as it may works for the wit withdrawal  The estimated ar The log of forms  Such other infor reference to book	ter table variable, the thdrawal of groundy pipe.  mount of groundwat tions encountered in the thickness of a similar mation of a similar	T. 9 S., R. 4 W., M. P. M.  Impletion of the construction of the well, wells, or other works for with the commenced and completed.  Itype, size and depth of each well or the general specifications of any other water. Shallow well encased; enclosing a two-inch ter withdrawn each year. The total flow as required.  In the drilling of each well if available. —O—  In nature as may be useful in carrying out the policy of this act, including the commence of the construction of the well.
The depth of wat So far as it may works for the wit withdrawal  The estimated ar The log of forms  Such other infor reference to book	ter table variable, the thdrawal of groundward of groundward thins encountered in the thing of a similar and page of any contractions are the things and page of any contraction of a similar and a	T. 9 S., R. 4 W., M. P. M.  Impletion of the construction of the well, wells, or other works for with the commenced and completed.  Itype, size and depth of each well or the general specifications of any other water. Shallow well encased; enclosing a two-inch ter withdrawn each year. The total flow as required.  In the drilling of each well if available. —O—  In nature as may be useful in carrying out the policy of this act, including the commence of the construction of the well.
The depth of wat So far as it may works for the wit withdrawal  The estimated ar The log of forms  Such other infor reference to book	ter table variable, the thdrawal of groundward of groundward thins encountered in the thing of a similar and page of any contractions are the things and page of any contraction of a similar and a	mpletion of the construction of the well, wells, or other works for with the commenced and completed.  The commenced and commenced and completed.  The commenced and
The depth of wat So far as it may works for the wit withdrawal  The estimated ar The log of forms  Such other infor reference to book	ter table variable, the thdrawal of groundward of groundward thins encountered in the thing of a similar and page of any contractions are the things and page of any contraction of a similar and a	T. 9 S., R. 4 W., M. P. M.  Impletion of the construction of the well, wells, or other works for with the commenced and completed.  Itype, size and depth of each well or the general specifications of any other water. Shallow well encased; enclosing a two-inch ter withdrawn each year. The total flow as required.  In the drilling of each well if available. —O—  In nature as may be useful in carrying out the policy of this act, including the commence of the construction of the well.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of 19760 Mines and Geology, and Quadruplicate for the Appropriator.

PRAY Wattle G. THE TAX OF THE PROPERTY OF THE A TOTAL CHANNEL OF SEAS MANAGED IN SEAS AND SEASON OF THE PROPERTY OF THE PROP RECOLULA SOFFICE, SS. Madison County, Montana.

Fried Occ. 3/ 11

at MAR Richard Have open to the first of the M County Recorder

Service paragraphic and province the service and servi

TO TO BEET THE THE

THE RESERVE THE RE

THE STATE OF THE S

Action of the training of the

Countries in the second has greated and defined and the second in the second of the se

And a strategy of the society of the strategy of the strategy

44. 15 gr fr 51. 18

And the states of the second states of the second s

震

GROUNDWATER INDEX

Page ______of___/

County Madison

TWP. 9S

Rae. 3 4)

Sec.	Name of Appropriator	Type of Form	County File No.	Remarks
28	Hidson Bhilithe	1404	28762	
29	most = Ral-	14/12	48457	
34	Hidam Johnt Wilman	Hury	28763	
Š, Š, is				
<u> (</u> 21-4)				
ati ni Filipi Rasyari				
i salah				
<b> </b>				
		<del> </del>		
	<del> </del>			
			<del>-  </del>	
	<del>                                     </del>			
<u> </u>				
-				
<del>                                     </del>			<del></del>	<del> </del>
<del>                                     </del>				
	<del> </del>		<del></del>	
<u> </u>	<u> </u>			
<b>-</b>			-	
<del> </del>				
<del> </del>			<del></del>	
-			<del>- </del>	
-				
) <del></del>			<del></del>	
-			<del></del>	

an .				(2.2)
GW.	Approv		ing Co., Helens, Montana—42234	
File No.		r	98 R 340	
DUPLICATE		O	ounty Mande	<u> </u>
	STATE OF MON		111	N
	ADMINISTRATOR OF GROU		JAN 3 1984 -	٠ رو
	OFFICE OF STATE E	WGINEER	STAIL FRANCE	- pa
Decla	ration of Vested Gr	oundwater R	SIALL ENGINEE	K
• • • • • • • • • • • • • • • • • • •	(Under Chapter 237, Montana	and the second of the second of the second		international control of the control
20 Junia H	uken-		2	
1 John Oig	ludson of	Illen	Mon	
(Name of Ar		(Accress)	(Town)	
County of // OCL	ater according to the Montana l	oflaws in effect prior t	o January 1, 1962, as follo	ws:
N				
	2. The beneficial v	se on which the claim	is based for he	10
J	Agree Q S	tock water	- Y lawn gung	atec
			beneficial use; and how con	
	one the use has	heen	- 1887	
	Conlin	som her		<del>12</del>
				i e
	4. The amount of	groundwater claime	d (in miner's inches or g	allons
	per minute)	12 gazer		Manage.
				• 12. •
. <u>Maria Sulatrial India i di la</u> Rimana manda a <b>s</b> elala india	to which water	igation, give the acre	age and description of the and name of the owner the	iereof
		and some	all partings	use
1644 A. Sec. 2 & T. 9 S R. 3				
ndicate point of approprint and place of use, if possible. E	ach			
mall square represents 10 ac		withdrawing such wat Il or other means of w	er from the ground and the	; 10ca-
		et Land		
				<del></del>
7. The date of commenceme	ent and completion of the constru	uction of the well,	wells, or other works for	with-
drawal of groundwater	all dire un	year !		
8. The depth of water table	10 feet	A special		
9. So far as it may be avai	lable, the type, size and depth o	of each well or the ge	eneral specifications of any	other
	of groundwater		in one luce	LV.
of the distance	well looked or	the contract of the contract o	<del></del>	
		/	1 1017	-
0. The estimated amount of	groundwater withdrawn each yea	r the Zame / l	undre ku	many
1. The log of formations enco	ountered in the drilling of each w	vell if available	rot available	1
***************************************				*******
<ol><li>Such other information of reference to book and page</li></ol>	a similar nature as may be use	ful in carrying out	the policy of this act, incl	uding
reterence to book and bake	or any county record			
***************************************	***************************************		7) 1.	
		Vit	Ban. O. h	1. 1.
	Signa	iture of Owner	the 17 Dais	الماس
	•	Date.	Vic 30 1963	**********
	_			

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.